




Live Electronics is a supplier of electronic and electrical components and products for demanding industrial applications. We are dedicated to providing exceptional service and products at a competitive price.

Ruffy Controls TS2 Product Codes



[View the TS2 Series here](#)

[Enquire about the TS2 Series here](#)

[View the Ruffy range here](#)

+44 (0)1522 217555
sales@liveelectronics.co.uk

Unit 1, Saxon Terrace,
Gallamore Lane Ind. Est.,
Market Rasen,
LN8 3HA

Series	Handle Option	Limiter Option	Mounting Option	Rated Voltage	Termination	Colour	Part No.
TS2	Castle Cap	Square	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-1-S-T-1-C-BK
TS2	Round, Convex	Square	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-2-S-T-1-C-BK
TS2	Single Axis Y	Square	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-3-S-T-1-C-BK
TS2	Round, Concave	Square	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-4-S-T-1-C-BK
TS2	Castle Cap	Round	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-1-R-T-1-C-BK
TS2	Round, Convex	Round	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-2-R-T-1-C-BK
TS2	Single Axis Y	Round	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-3-R-T-1-C-BK
TS2	Round, Concave	Round	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-4-R-T-1-C-BK
TS2	Castle Cap	Guided Feel	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-1-G-T-1-C-BK
TS2	Round, Convex	Guided Feel	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-2-G-T-1-C-BK
TS2	Single Axis Y	Guided Feel	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-3-G-T-1-C-BK
TS2	Round, Concave	Guided Feel	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Black	TS2-4-G-T-1-C-BK
TS2	Castle Cap	Square	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-1-S-T-2-C-BK
TS2	Round, Convex	Square	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-2-S-T-2-C-BK
TS2	Single Axis Y	Square	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-3-S-T-2-C-BK
TS2	Round, Concave	Square	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-4-S-T-2-C-BK
TS2	Castle Cap	Round	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-1-R-T-2-C-BK
TS2	Round, Convex	Round	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-2-R-T-2-C-BK
TS2	Single Axis Y	Round	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-3-R-T-2-C-BK
TS2	Round, Concave	Round	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-4-R-T-2-C-BK
TS2	Castle Cap	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-1-G-T-2-C-BK
TS2	Round, Convex	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-2-G-T-2-C-BK
TS2	Single Axis Y	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-3-G-T-2-C-BK
TS2	Round, Concave	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Black	TS2-4-G-T-2-C-BK

Series	Handle Option	Limiter Option	Mounting Option	Rated Voltage	Termination	Colour	Part No.
TS2	Castle Cap	Square	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-1-S-T-1-W-BK
TS2	Round, Convex	Square	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-2-S-T-1-W-BK
TS2	Single Axis Y	Square	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-3-S-T-1-W-BK
TS2	Round, Concave	Square	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-4-S-T-1-W-BK
TS2	Castle Cap	Round	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-1-R-T-1-W-BK
TS2	Round, Convex	Round	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-2-R-T-1-W-BK
TS2	Single Axis Y	Round	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-3-R-T-1-W-BK
TS2	Round, Concave	Round	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-4-R-T-1-W-BK
TS2	Castle Cap	Guided Feel	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-1-G-T-1-W-BK
TS2	Round, Convex	Guided Feel	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-2-G-T-1-W-BK
TS2	Single Axis Y	Guided Feel	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Black	TS2-3-G-T-1-W-BK
TS2	Round, Concave	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-4-G-T-1-W-BK
TS2	Castle Cap	Square	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-1-S-T-2-W-BK
TS2	Round, Convex	Square	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-2-S-T-2-W-BK
TS2	Single Axis Y	Square	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-3-S-T-2-W-BK
TS2	Round, Concave	Square	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-4-S-T-2-W-BK
TS2	Castle Cap	Round	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-1-R-T-2-W-BK
TS2	Round, Convex	Round	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-2-R-T-2-W-BK
TS2	Single Axis Y	Round	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-3-R-T-2-W-BK
TS2	Round, Concave	Round	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-4-R-T-2-W-BK
TS2	Castle Cap	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-1-G-T-2-W-BK
TS2	Round, Convex	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-2-G-T-2-W-BK
TS2	Single Axis Y	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-3-G-T-2-W-BK
TS2	Round, Concave	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Black	TS2-4-G-T-2-W-BK

Series	Handle Option	Limiter Option	Mounting Option	Rated Voltage	Termination	Colour	Part No.
TS2	Castle Cap	Square	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-1-S-T-1-C-GY
TS2	Round, Convex	Square	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-2-S-T-1-C-GY
TS2	Single Axis Y	Square	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-3-S-T-1-C-GY
TS2	Round, Concave	Square	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-4-S-T-1-C-GY
TS2	Castle Cap	Round	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-1-R-T-1-C-GY
TS2	Round, Convex	Round	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-2-R-T-1-C-GY
TS2	Single Axis Y	Round	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-3-R-T-1-C-GY
TS2	Round, Concave	Round	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-4-R-T-1-C-GY
TS2	Castle Cap	Guided Feel	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-1-G-T-1-C-GY
TS2	Round, Convex	Guided Feel	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-2-G-T-1-C-GY
TS2	Single Axis Y	Guided Feel	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-3-G-T-1-C-GY
TS2	Round, Concave	Guided Feel	½"-20 Threaded Housing	0V-5V	1.25mm (0.49") JST Connector	Grey	TS2-4-G-T-1-C-GY
TS2	Castle Cap	Square	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-1-S-T-2-C-GY
TS2	Round, Convex	Square	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-2-S-T-2-C-GY
TS2	Single Axis Y	Square	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-3-S-T-2-C-GY
TS2	Round, Concave	Square	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-4-S-T-2-C-GY
TS2	Castle Cap	Round	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-1-R-T-2-C-GY
TS2	Round, Convex	Round	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-2-R-T-2-C-GY
TS2	Single Axis Y	Round	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-3-R-T-2-C-GY
TS2	Round, Concave	Round	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-4-R-T-2-C-GY
TS2	Castle Cap	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-1-G-T-2-C-GY
TS2	Round, Convex	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-2-G-T-2-C-GY
TS2	Single Axis Y	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-3-G-T-2-C-GY
TS2	Round, Concave	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	1.25mm (0.49") JST Connector	Grey	TS2-4-G-T-2-C-GY

Series	Handle Option	Limiter Option	Mounting Option	Rated Voltage	Termination	Colour	Part No.
TS2	Castle Cap	Square	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-1-S-T-1-W-GY
TS2	Round, Convex	Square	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-2-S-T-1-W-GY
TS2	Single Axis Y	Square	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-3-S-T-1-W-GY
TS2	Round, Concave	Square	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-4-S-T-1-W-GY
TS2	Castle Cap	Round	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-1-R-T-1-W-GY
TS2	Round, Convex	Round	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-2-R-T-1-W-GY
TS2	Single Axis Y	Round	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-3-R-T-1-W-GY
TS2	Round, Concave	Round	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-4-R-T-1-W-GY
TS2	Castle Cap	Guided Feel	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-1-G-T-1-W-GY
TS2	Round, Convex	Guided Feel	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-2-G-T-1-W-GY
TS2	Single Axis Y	Guided Feel	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-3-G-T-1-W-GY
TS2	Round, Concave	Guided Feel	½"-20 Threaded Housing	0V-5V	28AWG Pigtail, 14" Length	Grey	TS2-4-G-T-1-W-GY
TS2	Castle Cap	Square	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-1-S-T-2-W-GY
TS2	Round, Convex	Square	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-2-S-T-2-W-GY
TS2	Single Axis Y	Square	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-3-S-T-2-W-GY
TS2	Round, Concave	Square	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-4-S-T-2-W-GY
TS2	Castle Cap	Round	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-1-R-T-2-W-GY
TS2	Round, Convex	Round	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-2-R-T-2-W-GY
TS2	Single Axis Y	Round	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-3-R-T-2-W-GY
TS2	Round, Concave	Round	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-4-R-T-2-W-GY
TS2	Castle Cap	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-1-G-T-2-W-GY
TS2	Round, Convex	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-2-G-T-2-W-GY
TS2	Single Axis Y	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-3-G-T-2-W-GY
TS2	Round, Concave	Guided Feel	½"-20 Threaded Housing	0.5V-4.5V	28AWG Pigtail, 14" Length	Grey	TS2-4-G-T-2-W-GY