



Weipu WF16 Series Attributes and Product Codes



Live Electronics is dedicated to providing exceptional service and Emech components at a competitive price.

[View the WF16 Series here](#)

[Enquire about the WF16 Series here](#)

[View the Weipu range here](#)

+44 (0)1522 244849
Sales@liveelectronics.co.uk

**Unit H, Hillcroft Business Park
Whisby Road
Lincoln
LN6 3QT**

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 10 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10TA1 |
| 10 | plug | solder | 5A | IP67 | Male | 400V | Threaded | WF16J10TE1 |
| 10 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10TI1 |
| 10 | plug | solder | 5A | IP55 | Male | 400V | Threaded | WF16J10TN1 |
| 10 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10TU1 |
| 10 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10TV1 |
| 10 | plug | solder | 5A | IP55 | Male | 400V | Threaded | WF16J10TW1 |
| 10 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10ZA1 |
| 10 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10ZAB1 |
| 10 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10ZAF1 |
| 10 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J10ZE1 |
| 10 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J10ZEB1 |
| 10 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J10ZEF1 |
| 10 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J10ZG1 |
| 10 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10ZI1 |
| 10 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10ZIB1 |
| 10 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J10ZIF1 |
| 10 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J10ZM1 |
| 10 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J10ZMQ1 |
| 10 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J10ZN1 |
| 10 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J10ZNB1 |
| 10 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J10ZNF1 |
| 10 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J10ZZ1 |
| 2B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J2BTA1 |
| 2B | plug | solder | 15A | IP67 | Male | 500V | Threaded | WF16J2BTE1 |
| 2B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J2BTI1 |
| 2B | plug | solder | 15A | IP55 | Male | 500V | Threaded | WF16J2BTN1 |
| 2B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J2BTU1 |
| 2B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J2BTV1 |
| 2B | plug | solder | 15A | IP55 | Male | 500V | Threaded | WF16J2BTW1 |
| 2B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J2BZA1 |
| 2B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J2BZAB1 |
| 2B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J2BZE1 |
| 2B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J2BZEB1 |
| 2B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J2BZG1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 2B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J2BZI1 |
| 2B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J2BZIB1 |
| 2B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J2BZM1 |
| 2B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J2BZMQ1 |
| 2B | receptacle | solder | 15A | IP55 | Male | 500V | Threaded | WF16J2BZN1 |
| 2B | receptacle | solder | 15A | IP55 | Male | 500V | Threaded | WF16J2BZNB1 |
| 2B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J2BZZ1 |
| 2 | plug | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2TA1 |
| 2 | plug | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2TA-3 |
| 2 | plug | solder | 10A | IP67 | Male | 500V | Threaded | WF16J2TE1 |
| 2 | plug | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J2TE-3 |
| 2 | plug | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2TI1 |
| 2 | plug | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2TI-3 |
| 2 | plug | solder | 10A | IP55 | Male | 500V | Threaded | WF16J2TN1 |
| 2 | plug | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J2TN-3 |
| 2 | plug | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2TU1 |
| 2 | plug | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2TU-3 |
| 2 | plug | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2TV1 |
| 2 | plug | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2TV-3 |
| 2 | plug | solder | 10A | IP55 | Male | 500V | Threaded | WF16J2TW1 |
| 2 | plug | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J2TW-3 |
| 2 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2ZA1 |
| 2 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2ZA-3 |
| 2 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2ZAB1 |
| 2 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2ZAB-3 |
| 2 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2ZAF1 |
| 2 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2ZAF-3 |
| 2 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J2ZE1 |
| 2 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J2ZE-3 |
| 2 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J2ZEB1 |
| 2 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J2ZEB-3 |
| 2 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J2ZEF1 |
| 2 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J2ZEF-3 |
| 2 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J2ZG1 |
| 2 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J2ZG-3 |
| 2 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2ZI1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 2 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2ZI-3 |
| 2 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2ZIB1 |
| 2 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2ZIB-3 |
| 2 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J2ZIF1 |
| 2 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J2ZIF-3 |
| 2 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J2ZM1 |
| 2 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J2ZM-3 |
| 2 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J2ZMQ1 |
| 2 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J2ZMQ-3 |
| 2 | receptacle | solder | 10A | IP55 | Male | 500V | Threaded | WF16J2ZN1 |
| 2 | receptacle | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J2ZN-3 |
| 2 | receptacle | solder | 10A | IP55 | Male | 500V | Threaded | WF16J2ZNB1 |
| 2 | receptacle | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J2ZNB-3 |
| 2 | receptacle | solder | 10A | IP55 | Male | 500V | Threaded | WF16J2ZNF1 |
| 2 | receptacle | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J2ZNF-3 |
| 2 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J2ZZ1 |
| 2 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J2ZZ-3 |
| 3B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J3BTA1 |
| 3B | plug | solder | 15A | IP67 | Male | 500V | Threaded | WF16J3BTE1 |
| 3B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J3BTI1 |
| 3B | plug | solder | 15A | IP55 | Male | 500V | Threaded | WF16J3BTN1 |
| 3B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J3BTU1 |
| 3B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J3BTV1 |
| 3B | plug | solder | 15A | IP55 | Male | 500V | Threaded | WF16J3BTW1 |
| 3B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J3BZA1 |
| 3B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J3BZAB1 |
| 3B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J3BZE1 |
| 3B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J3BZEB1 |
| 3B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J3BZG1 |
| 3B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J3BZI1 |
| 3B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J3BZIB1 |
| 3B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J3BZM1 |
| 3B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J3BZMQ1 |
| 3B | receptacle | solder | 15A | IP55 | Male | 500V | Threaded | WF16J3BZN1 |
| 3B | receptacle | solder | 15A | IP55 | Male | 500V | Threaded | WF16J3BZNB1 |
| 3B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J3BZZ1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 3 | plug | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3TA1 |
| 3 | plug | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3TA-3 |
| 3 | plug | solder | 10A | IP67 | Male | 500V | Threaded | WF16J3TE1 |
| 3 | plug | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J3TE-3 |
| 3 | plug | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3TI1 |
| 3 | plug | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3TI-3 |
| 3 | plug | solder | 10A | IP55 | Male | 500V | Threaded | WF16J3TN1 |
| 3 | plug | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J3TN-3 |
| 3 | plug | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3TU1 |
| 3 | plug | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3TU-3 |
| 3 | plug | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3TV1 |
| 3 | plug | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3TV-3 |
| 3 | plug | solder | 10A | IP55 | Male | 500V | Threaded | WF16J3TW1 |
| 3 | plug | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J3TW-3 |
| 3 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3ZA1 |
| 3 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3ZA-3 |
| 3 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3ZAB1 |
| 3 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3ZAB-3 |
| 3 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3ZAF1 |
| 3 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3ZAF-3 |
| 3 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J3ZE1 |
| 3 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J3ZE-3 |
| 3 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J3ZEB1 |
| 3 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J3ZEB-3 |
| 3 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J3ZEF1 |
| 3 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J3ZEF-3 |
| 3 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J3ZG1 |
| 3 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J3ZG-3 |
| 3 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3ZI1 |
| 3 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3ZI-3 |
| 3 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3ZIB1 |
| 3 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3ZIB-3 |
| 3 | receptacle | solder | 10A | IP65 | Male | 500V | Threaded | WF16J3ZIF1 |
| 3 | receptacle | Crimp | 10A | IP65 | Male | 500V | Threaded | WF16J3ZIF-3 |
| 3 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J3ZM1 |
| 3 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J3ZM-3 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 3 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J3ZMQ1 |
| 3 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J3ZMQ-3 |
| 3 | receptacle | solder | 10A | IP55 | Male | 500V | Threaded | WF16J3ZN1 |
| 3 | receptacle | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J3ZN-3 |
| 3 | receptacle | solder | 10A | IP55 | Male | 500V | Threaded | WF16J3ZNB1 |
| 3 | receptacle | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J3ZNB-3 |
| 3 | receptacle | solder | 10A | IP55 | Male | 500V | Threaded | WF16J3ZNF1 |
| 3 | receptacle | Crimp | 10A | IP55 | Male | 500V | Threaded | WF16J3ZNF-3 |
| 3 | receptacle | solder | 10A | IP67 | Male | 500V | Threaded | WF16J3ZZ1 |
| 3 | receptacle | Crimp | 10A | IP67 | Male | 500V | Threaded | WF16J3ZZ-3 |
| 4B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J4BTA1 |
| 4B | plug | solder | 15A | IP67 | Male | 500V | Threaded | WF16J4BTE1 |
| 4B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J4BTI1 |
| 4B | plug | solder | 15A | IP55 | Male | 500V | Threaded | WF16J4BTN1 |
| 4B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J4BTU1 |
| 4B | plug | solder | 15A | IP65 | Male | 500V | Threaded | WF16J4BTV1 |
| 4B | plug | solder | 15A | IP55 | Male | 500V | Threaded | WF16J4BTW1 |
| 4B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J4BZA1 |
| 4B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J4BZAB1 |
| 4B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J4BZE1 |
| 4B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J4BZEB1 |
| 4B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J4BZG1 |
| 4B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J4BZI1 |
| 4B | receptacle | solder | 15A | IP65 | Male | 500V | Threaded | WF16J4BZIB1 |
| 4B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J4BZM1 |
| 4B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J4BZMQ1 |
| 4B | receptacle | solder | 15A | IP55 | Male | 500V | Threaded | WF16J4BZN1 |
| 4B | receptacle | solder | 15A | IP55 | Male | 500V | Threaded | WF16J4BZNB1 |
| 4B | receptacle | solder | 15A | IP67 | Male | 500V | Threaded | WF16J4BZZ1 |
| 4 | plug | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4TA1 |
| 4 | plug | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4TA-3 |
| 4 | plug | solder | 5A | IP67 | Male | 500V | Threaded | WF16J4TE1 |
| 4 | plug | Crimp | 5A | IP67 | Male | 400V | Threaded | WF16J4TE-3 |
| 4 | plug | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4TI1 |
| 4 | plug | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4TI-3 |
| 4 | plug | solder | 5A | IP55 | Male | 500V | Threaded | WF16J4TN1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 4 | plug | Crimp | 5A | IP55 | Male | 400V | Threaded | WF16J4TN-3 |
| 4 | plug | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4TU1 |
| 4 | plug | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4TU-3 |
| 4 | plug | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4TV1 |
| 4 | plug | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4TV-3 |
| 4 | plug | solder | 5A | IP55 | Male | 500V | Threaded | WF16J4TW1 |
| 4 | plug | Crimp | 5A | IP55 | Male | 400V | Threaded | WF16J4TW-3 |
| 4 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4ZA1 |
| 4 | receptacle | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4ZA-3 |
| 4 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4ZAB1 |
| 4 | receptacle | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4ZAB-3 |
| 4 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4ZAF1 |
| 4 | receptacle | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4ZAF-3 |
| 4 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J4ZE1 |
| 4 | receptacle | Crimp | 5A | IP67 | Male | 400V | Threaded | WF16J4ZE-3 |
| 4 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J4ZEB1 |
| 4 | receptacle | Crimp | 5A | IP67 | Male | 400V | Threaded | WF16J4ZEB-3 |
| 4 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J4ZEF1 |
| 4 | receptacle | Crimp | 5A | IP67 | Male | 400V | Threaded | WF16J4ZEF-3 |
| 4 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J4ZG1 |
| 4 | receptacle | Crimp | 5A | IP67 | Male | 400V | Threaded | WF16J4ZG-3 |
| 4 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4ZI1 |
| 4 | receptacle | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4ZI-3 |
| 4 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4ZIB1 |
| 4 | receptacle | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4ZIB-3 |
| 4 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J4ZIF1 |
| 4 | receptacle | Crimp | 5A | IP65 | Male | 400V | Threaded | WF16J4ZIF-3 |
| 4 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J4ZM1 |
| 4 | receptacle | Crimp | 5A | IP67 | Male | 400V | Threaded | WF16J4ZM-3 |
| 4 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J4ZMQ1 |
| 4 | receptacle | Crimp | 5A | IP67 | Male | 400V | Threaded | WF16J4ZMQ-3 |
| 4 | receptacle | solder | 5A | IP55 | Male | 500V | Threaded | WF16J4ZN1 |
| 4 | receptacle | Crimp | 5A | IP55 | Male | 400V | Threaded | WF16J4ZN-3 |
| 4 | receptacle | solder | 5A | IP55 | Male | 500V | Threaded | WF16J4ZNB1 |
| 4 | receptacle | Crimp | 5A | IP55 | Male | 400V | Threaded | WF16J4ZNB-3 |
| 4 | receptacle | solder | 5A | IP55 | Male | 500V | Threaded | WF16J4ZNF1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 4 | receptacle | Crimp | 5A | IP55 | Male | 400V | Threaded | WF16J4ZNF-3 |
| 4 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J4ZZ1 |
| 4 | receptacle | Crimp | 5A | IP67 | Male | 400V | Threaded | WF16J4ZZ-3 |
| 5 | plug | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5TA1 |
| 5 | plug | solder | 5A | IP67 | Male | 500V | Threaded | WF16J5TE1 |
| 5 | plug | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5TI1 |
| 5 | plug | solder | 5A | IP55 | Male | 500V | Threaded | WF16J5TN1 |
| 5 | plug | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5TU1 |
| 5 | plug | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5TV1 |
| 5 | plug | solder | 5A | IP55 | Male | 500V | Threaded | WF16J5TW1 |
| 5 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5ZA1 |
| 5 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5ZAB1 |
| 5 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5ZAF1 |
| 5 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J5ZE1 |
| 5 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J5ZEB1 |
| 5 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J5ZEF1 |
| 5 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J5ZG1 |
| 5 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5ZI1 |
| 5 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5ZIB1 |
| 5 | receptacle | solder | 5A | IP65 | Male | 500V | Threaded | WF16J5ZIF1 |
| 5 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J5ZM1 |
| 5 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J5ZMQ1 |
| 5 | receptacle | solder | 5A | IP55 | Male | 500V | Threaded | WF16J5ZN1 |
| 5 | receptacle | solder | 5A | IP55 | Male | 500V | Threaded | WF16J5ZNB1 |
| 5 | receptacle | solder | 5A | IP55 | Male | 500V | Threaded | WF16J5ZNF1 |
| 5 | receptacle | solder | 5A | IP67 | Male | 500V | Threaded | WF16J5ZZ1 |
| 7 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7TA1 |
| 7 | plug | solder | 5A | IP67 | Male | 400V | Threaded | WF16J7TE1 |
| 7 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7TI1 |
| 7 | plug | solder | 5A | IP55 | Male | 400V | Threaded | WF16J7TN1 |
| 7 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7TU1 |
| 7 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7TV1 |
| 7 | plug | solder | 5A | IP55 | Male | 400V | Threaded | WF16J7TW1 |
| 7 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7ZA1 |
| 7 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7ZAB1 |
| 7 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7ZAF1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 7 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J7ZE1 |
| 7 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J7ZEB1 |
| 7 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J7ZEF1 |
| 7 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J7ZG1 |
| 7 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7ZI1 |
| 7 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7ZIB1 |
| 7 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J7ZIF1 |
| 7 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J7ZM1 |
| 7 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J7ZMQ1 |
| 7 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J7ZN1 |
| 7 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J7ZNB1 |
| 7 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J7ZNF1 |
| 7 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J7ZZ1 |
| 9 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9TA1 |
| 9 | plug | solder | 5A | IP67 | Male | 400V | Threaded | WF16J9TE1 |
| 9 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9TI1 |
| 9 | plug | solder | 5A | IP55 | Male | 400V | Threaded | WF16J9TN1 |
| 9 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9TU1 |
| 9 | plug | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9TV1 |
| 9 | plug | solder | 5A | IP55 | Male | 400V | Threaded | WF16J9TW1 |
| 9 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9ZA1 |
| 9 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9ZAB1 |
| 9 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9ZAF1 |
| 9 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J9ZE1 |
| 9 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J9ZEB1 |
| 9 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J9ZEF1 |
| 9 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J9ZG1 |
| 9 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9ZI1 |
| 9 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9ZIB1 |
| 9 | receptacle | solder | 5A | IP65 | Male | 400V | Threaded | WF16J9ZIF1 |
| 9 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J9ZM1 |
| 9 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J9ZMQ1 |
| 9 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J9ZN1 |
| 9 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J9ZNB1 |
| 9 | receptacle | solder | 5A | IP55 | Male | 400V | Threaded | WF16J9ZNF1 |
| 9 | receptacle | solder | 5A | IP67 | Male | 400V | Threaded | WF16J9ZZ1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 10 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10TA1 |
| 10 | plug | solder | 5A | IP67 | Female | 400V | Threaded | WF16K10TE1 |
| 10 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10TI1 |
| 10 | plug | solder | 5A | IP55 | Female | 400V | Threaded | WF16K10TN1 |
| 10 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10TU1 |
| 10 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10TV1 |
| 10 | plug | solder | 5A | IP55 | Female | 400V | Threaded | WF16K10TW1 |
| 10 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10ZA1 |
| 10 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10ZAB1 |
| 10 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10ZAF1 |
| 10 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K10ZE1 |
| 10 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K10ZEB1 |
| 10 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K10ZEF1 |
| 10 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K10ZG1 |
| 10 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10ZI1 |
| 10 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10ZIB1 |
| 10 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K10ZIF1 |
| 10 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K10ZM1 |
| 10 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K10ZMQ1 |
| 10 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K10ZN1 |
| 10 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K10ZNB1 |
| 10 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K10ZNF1 |
| 10 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K10ZZ1 |
| 2B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K2BTA1 |
| 2B | plug | solder | 15A | IP67 | Female | 500V | Threaded | WF16K2BTE1 |
| 2B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K2BTI1 |
| 2B | plug | solder | 15A | IP55 | Female | 500V | Threaded | WF16K2BTN1 |
| 2B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K2BTU1 |
| 2B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K2BTV1 |
| 2B | plug | solder | 15A | IP55 | Female | 500V | Threaded | WF16K2BTW1 |
| 2B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K2BZA1 |
| 2B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K2BZAB1 |
| 2B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K2BZE1 |
| 2B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K2BZEB1 |
| 2B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K2BZG1 |
| 2B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K2BZI1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 2B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K2BZIB1 |
| 2B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K2BZM1 |
| 2B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K2BZMQ1 |
| 2B | receptacle | solder | 15A | IP55 | Female | 500V | Threaded | WF16K2BZN1 |
| 2B | receptacle | solder | 15A | IP55 | Female | 500V | Threaded | WF16K2BZNB1 |
| 2B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K2BZZ1 |
| 2 | plug | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2TA1 |
| 2 | plug | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2TA-3 |
| 2 | plug | solder | 10A | IP67 | Female | 500V | Threaded | WF16K2TE1 |
| 2 | plug | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K2TE-3 |
| 2 | plug | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2TI1 |
| 2 | plug | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2TI-3 |
| 2 | plug | solder | 10A | IP55 | Female | 500V | Threaded | WF16K2TN1 |
| 2 | plug | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K2TN-3 |
| 2 | plug | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2TU1 |
| 2 | plug | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2TU-3 |
| 2 | plug | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2TV1 |
| 2 | plug | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2TV-3 |
| 2 | plug | solder | 10A | IP55 | Female | 500V | Threaded | WF16K2TW1 |
| 2 | plug | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K2TW-3 |
| 2 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2ZA1 |
| 2 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2ZA-3 |
| 2 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2ZAB1 |
| 2 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2ZAB-3 |
| 2 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2ZAF1 |
| 2 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2ZAF-3 |
| 2 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K2ZE1 |
| 2 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K2ZE-3 |
| 2 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K2ZEB1 |
| 2 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K2ZEB-3 |
| 2 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K2ZEF1 |
| 2 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K2ZEF-3 |
| 2 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K2ZG1 |
| 2 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K2ZG-3 |
| 2 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2ZI1 |
| 2 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2ZI-3 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 2 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2ZIB1 |
| 2 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2ZIB-3 |
| 2 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K2ZIF1 |
| 2 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K2ZIF-3 |
| 2 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K2ZM1 |
| 2 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K2ZM-3 |
| 2 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K2ZMQ1 |
| 2 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K2ZMQ-3 |
| 2 | receptacle | solder | 10A | IP55 | Female | 500V | Threaded | WF16K2ZN1 |
| 2 | receptacle | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K2ZN-3 |
| 2 | receptacle | solder | 10A | IP55 | Female | 500V | Threaded | WF16K2ZNB1 |
| 2 | receptacle | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K2ZNB-3 |
| 2 | receptacle | solder | 10A | IP55 | Female | 500V | Threaded | WF16K2ZNF1 |
| 2 | receptacle | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K2ZNF-3 |
| 2 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K2ZZ1 |
| 2 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K2ZZ-3 |
| 3B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K3BTA1 |
| 3B | plug | solder | 15A | IP67 | Female | 500V | Threaded | WF16K3BTE1 |
| 3B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K3BTI1 |
| 3B | plug | solder | 15A | IP55 | Female | 500V | Threaded | WF16K3BTN1 |
| 3B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K3BTU1 |
| 3B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K3BTV1 |
| 3B | plug | solder | 15A | IP55 | Female | 500V | Threaded | WF16K3BTW1 |
| 3B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K3BZA1 |
| 3B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K3BZAB1 |
| 3B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K3BZE1 |
| 3B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K3BZEB1 |
| 3B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K3BZG1 |
| 3B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K3BZI1 |
| 3B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K3BZIB1 |
| 3B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K3BZM1 |
| 3B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K3BZMQ1 |
| 3B | receptacle | solder | 15A | IP55 | Female | 500V | Threaded | WF16K3BZN1 |
| 3B | receptacle | solder | 15A | IP55 | Female | 500V | Threaded | WF16K3BZNB1 |
| 3B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K3BZZ1 |
| 3 | plug | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3TA1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 3 | plug | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3TA-3 |
| 3 | plug | solder | 10A | IP67 | Female | 500V | Threaded | WF16K3TE1 |
| 3 | plug | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K3TE-3 |
| 3 | plug | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3TI1 |
| 3 | plug | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3TI-3 |
| 3 | plug | solder | 10A | IP55 | Female | 500V | Threaded | WF16K3TN1 |
| 3 | plug | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K3TN-3 |
| 3 | plug | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3TU1 |
| 3 | plug | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3TU-3 |
| 3 | plug | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3TV1 |
| 3 | plug | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3TV-3 |
| 3 | plug | solder | 10A | IP55 | Female | 500V | Threaded | WF16K3TW1 |
| 3 | plug | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K3TW-3 |
| 3 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3ZA1 |
| 3 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3ZA-3 |
| 3 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3ZAB1 |
| 3 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3ZAB-3 |
| 3 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3ZAF1 |
| 3 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3ZAF-3 |
| 3 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K3ZE1 |
| 3 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K3ZE-3 |
| 3 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K3ZEB1 |
| 3 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K3ZEB-3 |
| 3 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K3ZEF1 |
| 3 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K3ZEF-3 |
| 3 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K3ZG1 |
| 3 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K3ZG-3 |
| 3 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3ZI1 |
| 3 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3ZI-3 |
| 3 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3ZIB1 |
| 3 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3ZIB-3 |
| 3 | receptacle | solder | 10A | IP65 | Female | 500V | Threaded | WF16K3ZIF1 |
| 3 | receptacle | Crimp | 10A | IP65 | Female | 500V | Threaded | WF16K3ZIF-3 |
| 3 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K3ZM1 |
| 3 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K3ZM-3 |
| 3 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K3ZMQ1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 3 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K3ZMQ-3 |
| 3 | receptacle | solder | 10A | IP55 | Female | 500V | Threaded | WF16K3ZN1 |
| 3 | receptacle | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K3ZN-3 |
| 3 | receptacle | solder | 10A | IP55 | Female | 500V | Threaded | WF16K3ZNB1 |
| 3 | receptacle | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K3ZNB-3 |
| 3 | receptacle | solder | 10A | IP55 | Female | 500V | Threaded | WF16K3ZNF1 |
| 3 | receptacle | Crimp | 10A | IP55 | Female | 500V | Threaded | WF16K3ZNF-3 |
| 3 | receptacle | solder | 10A | IP67 | Female | 500V | Threaded | WF16K3ZZ1 |
| 3 | receptacle | Crimp | 10A | IP67 | Female | 500V | Threaded | WF16K3ZZ-3 |
| 4B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K4BTA1 |
| 4B | plug | solder | 15A | IP67 | Female | 500V | Threaded | WF16K4BTE1 |
| 4B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K4BTI1 |
| 4B | plug | solder | 15A | IP55 | Female | 500V | Threaded | WF16K4BTN1 |
| 4B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K4BTU1 |
| 4B | plug | solder | 15A | IP65 | Female | 500V | Threaded | WF16K4BTV1 |
| 4B | plug | solder | 15A | IP55 | Female | 500V | Threaded | WF16K4BTW1 |
| 4B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K4BZA1 |
| 4B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K4BZAB1 |
| 4B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K4BZE1 |
| 4B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K4BZEB1 |
| 4B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K4BZG1 |
| 4B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K4BZI1 |
| 4B | receptacle | solder | 15A | IP65 | Female | 500V | Threaded | WF16K4BZIB1 |
| 4B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K4BZM1 |
| 4B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K4BZMQ1 |
| 4B | receptacle | solder | 15A | IP55 | Female | 500V | Threaded | WF16K4BZN1 |
| 4B | receptacle | solder | 15A | IP55 | Female | 500V | Threaded | WF16K4BZNB1 |
| 4B | receptacle | solder | 15A | IP67 | Female | 500V | Threaded | WF16K4BZZ1 |
| 4 | plug | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4TA1 |
| 4 | plug | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4TA-3 |
| 4 | plug | solder | 5A | IP67 | Female | 500V | Threaded | WF16K4TE1 |
| 4 | plug | Crimp | 5A | IP67 | Female | 400V | Threaded | WF16K4TE-3 |
| 4 | plug | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4TI1 |
| 4 | plug | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4TI-3 |
| 4 | plug | solder | 5A | IP55 | Female | 500V | Threaded | WF16K4TN1 |
| 4 | plug | Crimp | 5A | IP55 | Female | 400V | Threaded | WF16K4TN-3 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 4 | plug | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4TU1 |
| 4 | plug | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4TU-3 |
| 4 | plug | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4TV1 |
| 4 | plug | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4TV-3 |
| 4 | plug | solder | 5A | IP55 | Female | 500V | Threaded | WF16K4TW1 |
| 4 | plug | Crimp | 5A | IP55 | Female | 400V | Threaded | WF16K4TW-3 |
| 4 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4ZA1 |
| 4 | receptacle | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4ZA-3 |
| 4 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4ZAB1 |
| 4 | receptacle | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4ZAB-3 |
| 4 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4ZAF1 |
| 4 | receptacle | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4ZAF-3 |
| 4 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K4ZE1 |
| 4 | receptacle | Crimp | 5A | IP67 | Female | 400V | Threaded | WF16K4ZE-3 |
| 4 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K4ZEB1 |
| 4 | receptacle | Crimp | 5A | IP67 | Female | 400V | Threaded | WF16K4ZEB-3 |
| 4 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K4ZEF1 |
| 4 | receptacle | Crimp | 5A | IP67 | Female | 400V | Threaded | WF16K4ZEF-3 |
| 4 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K4ZG1 |
| 4 | receptacle | Crimp | 5A | IP67 | Female | 400V | Threaded | WF16K4ZG-3 |
| 4 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4ZI1 |
| 4 | receptacle | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4ZI-3 |
| 4 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4ZIB1 |
| 4 | receptacle | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4ZIB-3 |
| 4 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K4ZIF1 |
| 4 | receptacle | Crimp | 5A | IP65 | Female | 400V | Threaded | WF16K4ZIF-3 |
| 4 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K4ZM1 |
| 4 | receptacle | Crimp | 5A | IP67 | Female | 400V | Threaded | WF16K4ZM-3 |
| 4 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K4ZMQ1 |
| 4 | receptacle | Crimp | 5A | IP67 | Female | 400V | Threaded | WF16K4ZMQ-3 |
| 4 | receptacle | solder | 5A | IP55 | Female | 500V | Threaded | WF16K4ZN1 |
| 4 | receptacle | Crimp | 5A | IP55 | Female | 400V | Threaded | WF16K4ZN-3 |
| 4 | receptacle | solder | 5A | IP55 | Female | 500V | Threaded | WF16K4ZNB1 |
| 4 | receptacle | Crimp | 5A | IP55 | Female | 400V | Threaded | WF16K4ZNB-3 |
| 4 | receptacle | solder | 5A | IP55 | Female | 500V | Threaded | WF16K4ZNF1 |
| 4 | receptacle | Crimp | 5A | IP55 | Female | 400V | Threaded | WF16K4ZNF-3 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 4 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K4ZZ1 |
| 4 | receptacle | Crimp | 5A | IP67 | Female | 400V | Threaded | WF16K4ZZ-3 |
| 5 | plug | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5TA1 |
| 5 | plug | solder | 5A | IP67 | Female | 500V | Threaded | WF16K5TE1 |
| 5 | plug | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5TI1 |
| 5 | plug | solder | 5A | IP55 | Female | 500V | Threaded | WF16K5TN1 |
| 5 | plug | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5TU1 |
| 5 | plug | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5TV1 |
| 5 | plug | solder | 5A | IP55 | Female | 500V | Threaded | WF16K5TW1 |
| 5 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5ZA1 |
| 5 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5ZAB1 |
| 5 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5ZAF1 |
| 5 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K5ZE1 |
| 5 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K5ZEB1 |
| 5 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K5ZEF1 |
| 5 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K5ZG1 |
| 5 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5ZI1 |
| 5 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5ZIB1 |
| 5 | receptacle | solder | 5A | IP65 | Female | 500V | Threaded | WF16K5ZIF1 |
| 5 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K5ZM1 |
| 5 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K5ZMQ1 |
| 5 | receptacle | solder | 5A | IP55 | Female | 500V | Threaded | WF16K5ZN1 |
| 5 | receptacle | solder | 5A | IP55 | Female | 500V | Threaded | WF16K5ZNB1 |
| 5 | receptacle | solder | 5A | IP55 | Female | 500V | Threaded | WF16K5ZNF1 |
| 5 | receptacle | solder | 5A | IP67 | Female | 500V | Threaded | WF16K5ZZ1 |
| 7 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7TA1 |
| 7 | plug | solder | 5A | IP67 | Female | 400V | Threaded | WF16K7TE1 |
| 7 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7TI1 |
| 7 | plug | solder | 5A | IP55 | Female | 400V | Threaded | WF16K7TN1 |
| 7 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7TU1 |
| 7 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7TV1 |
| 7 | plug | solder | 5A | IP55 | Female | 400V | Threaded | WF16K7TW1 |
| 7 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7ZA1 |
| 7 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7ZAB1 |
| 7 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7ZAF1 |
| 7 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K7ZE1 |

| NUMBER OF CONTACTS | CONNECTOR CATEGORY | TERMINATION TYPE | RATED CURRENT | IP RATING | CONTACT GENDER | RATED VOLTAGE | COUPLING | PART NUMBER |
|--------------------|--------------------|------------------|---------------|-----------|----------------|---------------|----------|-------------|
| 7 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K7ZEB1 |
| 7 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K7ZEF1 |
| 7 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K7ZG1 |
| 7 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7ZI1 |
| 7 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7ZIB1 |
| 7 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K7ZIF1 |
| 7 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K7ZM1 |
| 7 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K7ZN1 |
| 7 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K7ZNB1 |
| 7 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K7ZNF1 |
| 7 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K7ZZ1 |
| 9 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9TA1 |
| 9 | plug | solder | 5A | IP67 | Female | 400V | Threaded | WF16K9TE1 |
| 9 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9TI1 |
| 9 | plug | solder | 5A | IP55 | Female | 400V | Threaded | WF16K9TN1 |
| 9 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9TU1 |
| 9 | plug | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9TV1 |
| 9 | plug | solder | 5A | IP55 | Female | 400V | Threaded | WF16K9TW1 |
| 9 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9ZA1 |
| 9 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9ZAB1 |
| 9 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9ZAF1 |
| 9 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K9ZE1 |
| 9 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K9ZEB1 |
| 9 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K9ZEF1 |
| 9 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K9ZG1 |
| 9 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9ZI1 |
| 9 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9ZIB1 |
| 9 | receptacle | solder | 5A | IP65 | Female | 400V | Threaded | WF16K9ZIF1 |
| 9 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K9ZM1 |
| 9 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K9ZMQ1 |
| 9 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K9ZN1 |
| 9 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K9ZNB1 |
| 9 | receptacle | solder | 5A | IP55 | Female | 400V | Threaded | WF16K9ZNF1 |
| 9 | receptacle | solder | 5A | IP67 | Female | 400V | Threaded | WF16K9ZZ1 |