

Weipu WF28 Series Attributes and Product Codes





Live Electronics is dedicated to providing exceptional service and Emech components at a competitive price.

View the WF28 Series here

Enquire about the WF28 Series here

View the Weipu range here

+44 (0)1522 244849 Sales@liveelectronics.co.uk

Unit H, Hillcroft Business Park Whisby Road Lincoln LN6 3QT

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	OCUPLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
10B	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J10BZAB1
10B	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J10BZEB1
10B	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J10BZIB1
10B	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J10BZMQ1
10B	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J10BZNB1
10	plug	solder	25A	IP65	Male	500V	Threaded	WF28J10TA1
10	plug	screw	25A	IP65	Male	500V	Threaded	WF28J10TA-2
10	plug	solder	25A	IP67	Male	500V	Threaded	WF28J10TE1
10	plug	screw	25A	IP67	Male	500V	Threaded	WF28J10TE-2
10	plug	solder	25A	IP65	Male	500V	Threaded	WF28J10TI1
10	plug	screw	25A	IP65	Male	500V	Threaded	WF28J10TI-2
10	plug	solder	25A	IP55	Male	500V	Threaded	WF28J10TN1
10	plug	screw	25A	IP55	Male	500V	Threaded	WF28J10TN-2
10	plug	solder	25A	IP65	Male	500V	Threaded	WF28J10TU1
10	plug	screw	25A	IP65	Male	500V	Threaded	WF28J10TU-2
10	plug	solder	25A	IP65	Male	500V	Threaded	WF28J10TV1
10	plug	screw	25A	IP65	Male	500V	Threaded	WF28J10TV-2
10	plug	solder	25A	IP55	Male	500V	Threaded	WF28J10TW1
10	plug	screw	25A	IP55	Male	500V	Threaded	WF28J10TW-2
10	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J10ZA1
10	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J10ZA-2
10	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J10ZAB1
10	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J10ZAB-2
10	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J10ZAF1
10	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J10ZAF-2
10	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J10ZE1
10	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J10ZE-2
10	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J10ZEB1
10	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J10ZEB-2
10	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J10ZEF1
10	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J10ZEF-2
10	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J10ZG1
10	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J10ZG-2
10	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J10ZI1
10	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J10ZI-2
10	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J10ZIB1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
10	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J10ZIB-2
10	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J10ZIF1
10	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J10ZIF-2
10	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J10ZM1
10	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J10ZM-2
10	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J10ZMQ1
10	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J10ZMQ-2
10	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J10ZN1
10	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J10ZN-2
10	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J10ZNB1
10	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J10ZNB-2
10	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J10ZNF1
10	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J10ZNF-2
10	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J10ZZ1
10	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J10ZZ-2
12	plug	solder	10A	IP65	Male	500V	Threaded	WF28J12TA1
12	plug	Crimp	10A	IP65	Male	500V	Threaded	WF28J12TA-3
12	plug	solder	10A	IP67	Male	500V	Threaded	WF28J12TE1
12	plug	Crimp	10A	IP67	Male	500V	Threaded	WF28J12TE-3
12	plug	solder	10A	IP65	Male	500V	Threaded	WF28J12TI1
12	plug	Crimp	10A	IP65	Male	500V	Threaded	WF28J12TI-3
12	plug	solder	10A	IP55	Male	500V	Threaded	WF28J12TN1
12	plug	Crimp	10A	IP55	Male	500V	Threaded	WF28J12TN-3
12	plug	solder	10A	IP65	Male	500V	Threaded	WF28J12TU1
12	plug	Crimp	10A	IP65	Male	500V	Threaded	WF28J12TU-3
12	plug	solder	10A	IP65	Male	500V	Threaded	WF28J12TV1
12	plug	Crimp	10A	IP65	Male	500V	Threaded	WF28J12TV-3
12	plug	solder	10A	IP55	Male	500V	Threaded	WF28J12TW1
12	plug	Crimp	10A	IP55	Male	500V	Threaded	WF28J12TW-3
12	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J12ZA1
12	receptacle	Crimp	10A	IP65	Male	500V	Threaded	WF28J12ZA-3
12	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J12ZAB1
12	receptacle	Crimp	10A	IP65	Male	500V	Threaded	WF28J12ZAB-3
12	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J12ZAF1
12	receptacle	Crimp	10A	IP65	Male	500V	Threaded	WF28J12ZAF-3
12	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J12ZE1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
12	receptacle	Crimp	10A	IP67	Male	500V	Threaded	WF28J12ZE-3
12	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J12ZEB1
12	receptacle	Crimp	10A	IP67	Male	500V	Threaded	WF28J12ZEB-3
12	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J12ZEF1
12	receptacle	Crimp	10A	IP67	Male	500V	Threaded	WF28J12ZEF-3
12	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J12ZG1
12	receptacle	Crimp	10A	IP67	Male	500V	Threaded	WF28J12ZG-3
12	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J12ZI1
12	receptacle	Crimp	10A	IP65	Male	500V	Threaded	WF28J12ZI-3
12	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J12ZIB1
12	receptacle	Crimp	10A	IP65	Male	500V	Threaded	WF28J12ZIB-3
12	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J12ZIF1
12	receptacle	Crimp	10A	IP65	Male	500V	Threaded	WF28J12ZIF-3
12	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J12ZM1
12	receptacle	Crimp	10A	IP67	Male	500V	Threaded	WF28J12ZM-3
12	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J12ZMQ1
12	receptacle	Crimp	10A	IP67	Male	500V	Threaded	WF28J12ZMQ-3
12	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J12ZN1
12	receptacle	Crimp	10A	IP55	Male	500V	Threaded	WF28J12ZN-3
12	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J12ZNB1
12	receptacle	Crimp	10A	IP55	Male	500V	Threaded	WF28J12ZNB-3
12	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J12ZNF1
12	receptacle	Crimp	10A	IP55	Male	500V	Threaded	WF28J12ZNF-3
12	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J12ZZ1
12	receptacle	Crimp	10A	IP67	Male	500V	Threaded	WF28J12ZZ-3
15	plug	Crimp	5A	IP65	Male	400V	Threaded	WF28J15TA-3
15	plug	Crimp	5A	IP67	Male	400V	Threaded	WF28J15TE-3
15	plug	Crimp	5A	IP65	Male	400V	Threaded	WF28J15TI-3
15	plug	Crimp	5A	IP55	Male	400V	Threaded	WF28J15TN-3
15	plug	Crimp	5A	IP65	Male	400V	Threaded	WF28J15TU-3
15	plug	Crimp	5A	IP65	Male	400V	Threaded	WF28J15TV-3
15	plug	Crimp	5A	IP55	Male	400V	Threaded	WF28J15TW-3
15	receptacle	Crimp	5A	IP65	Male	400V	Threaded	WF28J15ZA-3
15	receptacle	Crimp	5A	IP65	Male	400V	Threaded	WF28J15ZAB-3
15	receptacle	Crimp	5A	IP65	Male	400V	Threaded	WF28J15ZAF-3
15	receptacle	Crimp	5A	IP67	Male	400V	Threaded	WF28J15ZE-3

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
15	receptacle	Crimp	5A	IP67	Male	400V	Threaded	WF28J15ZEB-3
15	receptacle	Crimp	5A	IP67	Male	400V	Threaded	WF28J15ZEF-3
15	receptacle	Crimp	5A	IP67	Male	400V	Threaded	WF28J15ZG-3
15	receptacle	Crimp	5A	IP65	Male	400V	Threaded	WF28J15ZI-3
15	receptacle	Crimp	5A	IP65	Male	400V	Threaded	WF28J15ZIB-3
15	receptacle	Crimp	5A	IP65	Male	400V	Threaded	WF28J15ZIF-3
15	receptacle	Crimp	5A	IP67	Male	400V	Threaded	WF28J15ZM-3
15	receptacle	Crimp	5A	IP67	Male	400V	Threaded	WF28J15ZMQ-3
15	receptacle	Crimp	5A	IP55	Male	400V	Threaded	WF28J15ZN-3
15	receptacle	Crimp	5A	IP55	Male	400V	Threaded	WF28J15ZNB-3
15	receptacle	Crimp	5A	IP55	Male	400V	Threaded	WF28J15ZNF-3
15	receptacle	Crimp	5A	IP67	Male	400V	Threaded	WF28J15ZZ-3
16	plug	solder	10A	IP65	Male	500V	Threaded	WF28J16TA1
16	plug	solder	10A	IP67	Male	500V	Threaded	WF28J16TE1
16	plug	solder	10A	IP65	Male	500V	Threaded	WF28J16TI1
16	plug	solder	10A	IP55	Male	500V	Threaded	WF28J16TN1
16	plug	solder	10A	IP65	Male	500V	Threaded	WF28J16TU1
16	plug	solder	10A	IP65	Male	500V	Threaded	WF28J16TV1
16	plug	solder	10A	IP55	Male	500V	Threaded	WF28J16TW1
16	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J16ZA1
16	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J16ZAB1
16	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J16ZAF1
16	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J16ZE1
16	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J16ZEB1
16	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J16ZEF1
16	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J16ZG1
16	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J16ZI1
16	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J16ZIB1
16	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J16ZIF1
16	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J16ZM1
16	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J16ZMQ1
16	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J16ZN1
16	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J16ZNB1
16	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J16ZNF1
16	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J16ZZ1
17	plug	solder	10A	IP65	Male	500V	Threaded	WF28J17TA1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
17	plug	solder	10A	IP67	Male	500V	Threaded	WF28J17TE1
17	plug	solder	10A	IP65	Male	500V	Threaded	WF28J17TI1
17	plug	solder	10A	IP55	Male	500V	Threaded	WF28J17TN1
17	plug	solder	10A	IP65	Male	500V	Threaded	WF28J17TU1
17	plug	solder	10A	IP65	Male	500V	Threaded	WF28J17TV1
17	plug	solder	10A	IP55	Male	500V	Threaded	WF28J17TW1
17	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J17ZA1
17	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J17ZAB1
17	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J17ZAF1
17	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J17ZE1
17	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J17ZEB1
17	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J17ZEF1
17	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J17ZG1
17	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J17ZI1
17	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J17ZIB1
17	receptacle	solder	10A	IP65	Male	500V	Threaded	WF28J17ZIF1
17	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J17ZM1
17	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J17ZMQ1
17	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J17ZN1
17	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J17ZNB1
17	receptacle	solder	10A	IP55	Male	500V	Threaded	WF28J17ZNF1
17	receptacle	solder	10A	IP67	Male	500V	Threaded	WF28J17ZZ1
19	plug	Crimp	5A	IP65	Male	500V	Threaded	WF28J19TA-3
19	plug	Crimp	5A	IP67	Male	500V	Threaded	WF28J19TE-3
19	plug	Crimp	5A	IP65	Male	500V	Threaded	WF28J19TI-3
19	plug	Crimp	5A	IP55	Male	500V	Threaded	WF28J19TN-3
19	plug	Crimp	5A	IP65	Male	500V	Threaded	WF28J19TU-3
19	plug	Crimp	5A	IP65	Male	500V	Threaded	WF28J19TV-3
19	plug	Crimp	5A	IP55	Male	500V	Threaded	WF28J19TW-3
19	receptacle	Crimp	5A	IP65	Male	500V	Threaded	WF28J19ZA-3
19	receptacle	Crimp	5A	IP65	Male	500V	Threaded	WF28J19ZAB-3
19	receptacle	Crimp	5A	IP65	Male	500V	Threaded	WF28J19ZAF-3
19	receptacle	Crimp	5A	IP67	Male	500V	Threaded	WF28J19ZE-3
19	receptacle	Crimp	5A	IP67	Male	500V	Threaded	WF28J19ZEB-3
19	receptacle	Crimp	5A	IP67	Male	500V	Threaded	WF28J19ZEF-3
19	receptacle	Crimp	5A	IP67	Male	500V	Threaded	WF28J19ZG-3

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLUDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
19	receptacle	Crimp	5A	IP65	Male	500V	Threaded	WF28J19ZI-3
19	receptacle	Crimp	5A	IP65	Male	500V	Threaded	WF28J19ZIB-3
19	receptacle	Crimp	5A	IP65	Male	500V	Threaded	WF28J19ZIF-3
19	receptacle	Crimp	5A	IP67	Male	500V	Threaded	WF28J19ZM-3
19	receptacle	Crimp	5A	IP67	Male	500V	Threaded	WF28J19ZMQ-3
19	receptacle	Crimp	5A	IP55	Male	500V	Threaded	WF28J19ZN-3
19	receptacle	Crimp	5A	IP55	Male	500V	Threaded	WF28J19ZNB-3
19	receptacle	Crimp	5A	IP55	Male	500V	Threaded	WF28J19ZNF-3
19	receptacle	Crimp	5A	IP67	Male	500V	Threaded	WF28J19ZZ-3
20	plug	solder	5A	IP65	Male	400V	Threaded	WF28J20TA1
20	plug	solder	5A	IP67	Male	400V	Threaded	WF28J20TE1
20	plug	solder	5A	IP65	Male	400V	Threaded	WF28J20TI1
20	plug	solder	5A	IP55	Male	400V	Threaded	WF28J20TN1
20	plug	solder	5A	IP65	Male	400V	Threaded	WF28J20TU1
20	plug	solder	5A	IP65	Male	400V	Threaded	WF28J20TV1
20	plug	solder	5A	IP55	Male	400V	Threaded	WF28J20TW1
20	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J20ZA1
20	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J20ZAB1
20	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J20ZAF1
20	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J20ZE1
20	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J20ZEB1
20	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J20ZEF1
20	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J20ZG1
20	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J20ZI1
20	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J20ZIB1
20	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J20ZIF1
20	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J20ZM1
20	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J20ZMQ1
20	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J20ZN1
20	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J20ZNB1
20	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J20ZNF1
20	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J20ZZ1
24	plug	solder	5A	IP65	Male	400V	Threaded	WF28J24TA1
24	plug	solder	5A	IP67	Male	400V	Threaded	WF28J24TE1
24	plug	solder	5A	IP65	Male	400V	Threaded	WF28J24TI1
24	plug	solder	5A	IP55	Male	400V	Threaded	WF28J24TN1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
24	plug	solder	5A	IP65	Male	400V	Threaded	WF28J24TU1
24	plug	solder	5A	IP65	Male	400V	Threaded	WF28J24TV1
24	plug	solder	5A	IP55	Male	400V	Threaded	WF28J24TW1
24	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J24ZA1
24	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J24ZAB1
24	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J24ZAF1
24	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J24ZE1
24	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J24ZEB1
24	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J24ZEF1
24	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J24ZG1
24	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J24ZI1
24	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J24ZIB1
24	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J24ZIF1
24	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J24ZM1
24	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J24ZMQ1
24	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J24ZN1
24	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J24ZNB1
24	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J24ZNF1
24	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J24ZZ1
26	plug	solder	5A	IP65	Male	400V	Threaded	WF28J26TA1
26	plug	solder	5A	IP67	Male	400V	Threaded	WF28J26TE1
26	plug	solder	5A	IP65	Male	400V	Threaded	WF28J26TI1
26	plug	solder	5A	IP55	Male	400V	Threaded	WF28J26TN1
26	plug	solder	5A	IP65	Male	400V	Threaded	WF28J26TU1
26	plug	solder	5A	IP65	Male	400V	Threaded	WF28J26TV1
26	plug	solder	5A	IP55	Male	400V	Threaded	WF28J26TW1
26	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J26ZA1
26	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J26ZAB1
26	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J26ZAF1
26	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J26ZE1
26	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J26ZEB1
26	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J26ZEF1
26	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J26ZG1
26	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J26ZI1
26	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J26ZIB1
26	receptacle	solder	5A	IP65	Male	400V	Threaded	WF28J26ZIF1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
26	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J26ZM1
26	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J26ZMQ1
26	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J26ZN1
26	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J26ZNB1
26	receptacle	solder	5A	IP55	Male	400V	Threaded	WF28J26ZNF1
26	receptacle	solder	5A	IP67	Male	400V	Threaded	WF28J26ZZ1
2	plug	solder	50A	IP65	Male	500V	Threaded	WF28J2CTA1
2	plug	screw	50A	IP65	Male	500V	Threaded	WF28J2CTA-2
2	plug	solder	50A	IP67	Male	500V	Threaded	WF28J2CTE1
2	plug	screw	50A	IP67	Male	500V	Threaded	WF28J2CTE-2
2	plug	solder	50A	IP65	Male	500V	Threaded	WF28J2CTI1
2	plug	screw	50A	IP65	Male	500V	Threaded	WF28J2CTI-2
2	plug	solder	50A	IP55	Male	500V	Threaded	WF28J2CTN1
2	plug	screw	50A	IP55	Male	500V	Threaded	WF28J2CTN-2
2	plug	solder	50A	IP65	Male	500V	Threaded	WF28J2CTU1
2	plug	screw	50A	IP65	Male	500V	Threaded	WF28J2CTU-2
2	plug	solder	50A	IP65	Male	500V	Threaded	WF28J2CTV1
2	plug	screw	50A	IP65	Male	500V	Threaded	WF28J2CTV-2
2	plug	solder	50A	IP55	Male	500V	Threaded	WF28J2CTW1
2	plug	screw	50A	IP55	Male	500V	Threaded	WF28J2CTW-2
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2CZA1
2	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J2CZA-2
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2CZAF1
2	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J2CZAF-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2CZE1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2CZE-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2CZEF1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2CZEF-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2CZG1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2CZG-2
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2CZI1
2	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J2CZI-2
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2CZIF1
2	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J2CZIF-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2CZM1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2CZM-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	OCUPLING	DADT MUMDED
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
2	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J2CZN1
2	receptacle	screw	50A	IP55	Male	500V	Threaded	WF28J2CZN-2
2	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J2CZNF1
2	receptacle	screw	50A	IP55	Male	500V	Threaded	WF28J2CZNF-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2CZZ1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2CZZ-2
2	plug	solder	50A	IP65	Male	500V	Threaded	WF28J2TA1
2	plug	screw	50A	IP65	Male	500V	Threaded	WF28J2TA-2
2	plug	solder	50A	IP67	Male	500V	Threaded	WF28J2TE1
2	plug	screw	50A	IP67	Male	500V	Threaded	WF28J2TE-2
2	plug	solder	50A	IP65	Male	500V	Threaded	WF28J2TI1
2	plug	screw	50A	IP65	Male	500V	Threaded	WF28J2TI-2
2	plug	solder	50A	IP55	Male	500V	Threaded	WF28J2TN1
2	plug	screw	50A	IP55	Male	500V	Threaded	WF28J2TN-2
2	plug	solder	50A	IP65	Male	500V	Threaded	WF28J2TU1
2	plug	screw	50A	IP65	Male	500V	Threaded	WF28J2TU-2
2	plug	solder	50A	IP65	Male	500V	Threaded	WF28J2TV1
2	plug	screw	50A	IP65	Male	500V	Threaded	WF28J2TV-2
2	plug	solder	50A	IP55	Male	500V	Threaded	WF28J2TW1
2	plug	screw	50A	IP55	Male	500V	Threaded	WF28J2TW-2
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2ZA1
2	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J2ZA-2
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2ZAB1
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2ZAF1
2	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J2ZAF-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2ZE1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2ZE-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2ZEB1
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2ZEF1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2ZEF-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2ZG1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2ZG-2
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2ZI1
2	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J2ZI-2
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2ZIB1
2	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J2ZIF1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
2	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J2ZIF-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2ZM1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2ZM-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2ZMQ1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2ZMQ-2
2	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J2ZN1
2	receptacle	screw	50A	IP55	Male	500V	Threaded	WF28J2ZN-2
2	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J2ZNB1
2	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J2ZNF1
2	receptacle	screw	50A	IP55	Male	500V	Threaded	WF28J2ZNF-2
2	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J2ZZ1
2	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J2ZZ-2
3	plug	solder	50A	IP65	Male	500V	Threaded	WF28J3CTA1
3	plug	screw	50A	IP65	Male	500V	Threaded	WF28J3CTA-2
3	plug	solder	50A	IP67	Male	500V	Threaded	WF28J3CTE1
3	plug	screw	50A	IP67	Male	500V	Threaded	WF28J3CTE-2
3	plug	solder	50A	IP65	Male	500V	Threaded	WF28J3CTI1
3	plug	screw	50A	IP65	Male	500V	Threaded	WF28J3CTI-2
3	plug	solder	50A	IP55	Male	500V	Threaded	WF28J3CTN1
3	plug	screw	50A	IP55	Male	500V	Threaded	WF28J3CTN-2
3	plug	solder	50A	IP65	Male	500V	Threaded	WF28J3CTU1
3	plug	screw	50A	IP65	Male	500V	Threaded	WF28J3CTU-2
3	plug	solder	50A	IP65	Male	500V	Threaded	WF28J3CTV1
3	plug	screw	50A	IP65	Male	500V	Threaded	WF28J3CTV-2
3	plug	solder	50A	IP55	Male	500V	Threaded	WF28J3CTW1
3	plug	screw	50A	IP55	Male	500V	Threaded	WF28J3CTW-2
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3CZA1
3	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J3CZA-2
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3CZAF1
3	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J3CZAF-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3CZE1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3CZE-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3CZEF1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3CZEF-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3CZG1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3CZG-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	OCUPLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3CZI1
3	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J3CZI-2
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3CZIF1
3	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J3CZIF-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3CZM1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3CZM-2
3	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J3CZN1
3	receptacle	screw	50A	IP55	Male	500V	Threaded	WF28J3CZN-2
3	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J3CZNF1
3	receptacle	screw	50A	IP55	Male	500V	Threaded	WF28J3CZNF-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3CZZ1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3CZZ-2
3	plug	solder	50A	IP65	Male	500V	Threaded	WF28J3TA1
3	plug	screw	50A	IP65	Male	500V	Threaded	WF28J3TA-2
3	plug	solder	50A	IP67	Male	500V	Threaded	WF28J3TE1
3	plug	screw	50A	IP67	Male	500V	Threaded	WF28J3TE-2
3	plug	solder	50A	IP65	Male	500V	Threaded	WF28J3TI1
3	plug	screw	50A	IP65	Male	500V	Threaded	WF28J3TI-2
3	plug	solder	50A	IP55	Male	500V	Threaded	WF28J3TN1
3	plug	screw	50A	IP55	Male	500V	Threaded	WF28J3TN-2
3	plug	solder	50A	IP65	Male	500V	Threaded	WF28J3TU1
3	plug	screw	50A	IP65	Male	500V	Threaded	WF28J3TU-2
3	plug	solder	50A	IP65	Male	500V	Threaded	WF28J3TV1
3	plug	screw	50A	IP65	Male	500V	Threaded	WF28J3TV-2
3	plug	solder	50A	IP55	Male	500V	Threaded	WF28J3TW1
3	plug	screw	50A	IP55	Male	500V	Threaded	WF28J3TW-2
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3ZA1
3	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J3ZA-2
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3ZAB1
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3ZAF1
3	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J3ZAF-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3ZE1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3ZE-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3ZEB1
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3ZEF1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3ZEF-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLUDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3ZG1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3ZG-2
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3ZI1
3	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J3ZI-2
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3ZIB1
3	receptacle	solder	50A	IP65	Male	500V	Threaded	WF28J3ZIF1
3	receptacle	screw	50A	IP65	Male	500V	Threaded	WF28J3ZIF-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3ZM1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3ZM-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3ZMQ1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3ZMQ-2
3	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J3ZN1
3	receptacle	screw	50A	IP55	Male	500V	Threaded	WF28J3ZN-2
3	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J3ZNB1
3	receptacle	solder	50A	IP55	Male	500V	Threaded	WF28J3ZNF1
3	receptacle	screw	50A	IP55	Male	500V	Threaded	WF28J3ZNF-2
3	receptacle	solder	50A	IP67	Male	500V	Threaded	WF28J3ZZ1
3	receptacle	screw	50A	IP67	Male	500V	Threaded	WF28J3ZZ-2
4	plug	solder	25A	IP65	Male	500V	Threaded	WF28J4CTA1
4	plug	screw	25A	IP65	Male	500V	Threaded	WF28J4CTA-2
4	plug	solder	25A	IP67	Male	500V	Threaded	WF28J4CTE1
4	plug	screw	25A	IP67	Male	500V	Threaded	WF28J4CTE-2
4	plug	solder	25A	IP65	Male	500V	Threaded	WF28J4CTI1
4	plug	screw	25A	IP65	Male	500V	Threaded	WF28J4CTI-2
4	plug	solder	25A	IP55	Male	500V	Threaded	WF28J4CTN1
4	plug	screw	25A	IP55	Male	500V	Threaded	WF28J4CTN-2
4	plug	solder	25A	IP65	Male	500V	Threaded	WF28J4CTU1
4	plug	screw	25A	IP65	Male	500V	Threaded	WF28J4CTU-2
4	plug	solder	25A	IP65	Male	500V	Threaded	WF28J4CTV1
4	plug	screw	25A	IP65	Male	500V	Threaded	WF28J4CTV-2
4	plug	solder	25A	IP55	Male	500V	Threaded	WF28J4CTW1
4	plug	screw	25A	IP55	Male	500V	Threaded	WF28J4CTW-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4CZA1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4CZA-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4CZAF1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4CZAF-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4CZE1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4CZE-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4CZEF1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4CZEF-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4CZG1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4CZG-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4CZI1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4CZI-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4CZIF1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4CZIF-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4CZM1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4CZM-2
4	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J4CZN1
4	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J4CZN-2
4	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J4CZNF1
4	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J4CZNF-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4CZZ1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4CZZ-2
4	plug	solder	25A	IP65	Male	500V	Threaded	WF28J4TA1
4	plug	screw	25A	IP65	Male	500V	Threaded	WF28J4TA-2
4	plug	solder	25A	IP67	Male	500V	Threaded	WF28J4TE1
4	plug	screw	25A	IP67	Male	500V	Threaded	WF28J4TE-2
4	plug	solder	25A	IP65	Male	500V	Threaded	WF28J4TI1
4	plug	screw	25A	IP65	Male	500V	Threaded	WF28J4TI-2
4	plug	solder	25A	IP55	Male	500V	Threaded	WF28J4TN1
4	plug	screw	25A	IP55	Male	500V	Threaded	WF28J4TN-2
4	plug	solder	25A	IP65	Male	500V	Threaded	WF28J4TU1
4	plug	screw	25A	IP65	Male	500V	Threaded	WF28J4TU-2
4	plug	solder	25A	IP65	Male	500V	Threaded	WF28J4TV1
4	plug	screw	25A	IP65	Male	500V	Threaded	WF28J4TV-2
4	plug	solder	25A	IP55	Male	500V	Threaded	WF28J4TW1
4	plug	screw	25A	IP55	Male	500V	Threaded	WF28J4TW-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4ZA1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4ZA-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4ZAB1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4ZAB-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4ZAF1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4ZAF-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4ZE1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4ZE-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4ZEB1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4ZEB-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4ZEF1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4ZEF-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4ZG1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4ZG-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4ZI1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4ZI-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4ZIB1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4ZIB-2
4	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J4ZIF1
4	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J4ZIF-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4ZM1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4ZM-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4ZMQ1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4ZMQ-2
4	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J4ZN1
4	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J4ZN-2
4	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J4ZNB1
4	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J4ZNB-2
4	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J4ZNF1
4	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J4ZNF-2
4	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J4ZZ1
4	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J4ZZ-2
7	plug	solder	25A	IP65	Male	500V	Threaded	WF28J7TA1
7	plug	screw	25A	IP65	Male	500V	Threaded	WF28J7TA-2
7	plug	Crimp	25A	IP65	Male	500V	Threaded	WF28J7TA-3
7	plug	solder	25A	IP67	Male	500V	Threaded	WF28J7TE1
7	plug	screw	25A	IP67	Male	500V	Threaded	WF28J7TE-2
7	plug	Crimp	25A	IP67	Male	500V	Threaded	WF28J7TE-3
7	plug	solder	25A	IP65	Male	500V	Threaded	WF28J7TI1
7	plug	screw	25A	IP65	Male	500V	Threaded	WF28J7TI-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
7	plug	Crimp	25A	IP65	Male	500V	Threaded	WF28J7TI-3
7	plug	solder	25A	IP55	Male	500V	Threaded	WF28J7TN1
7	plug	screw	25A	IP55	Male	500V	Threaded	WF28J7TN-2
7	plug	Crimp	25A	IP55	Male	500V	Threaded	WF28J7TN-3
7	plug	solder	25A	IP65	Male	500V	Threaded	WF28J7TU1
7	plug	screw	25A	IP65	Male	500V	Threaded	WF28J7TU-2
7	plug	Crimp	25A	IP65	Male	500V	Threaded	WF28J7TU-3
7	plug	solder	25A	IP65	Male	500V	Threaded	WF28J7TV1
7	plug	screw	25A	IP65	Male	500V	Threaded	WF28J7TV-2
7	plug	Crimp	25A	IP65	Male	500V	Threaded	WF28J7TV-3
7	plug	solder	25A	IP55	Male	500V	Threaded	WF28J7TW1
7	plug	screw	25A	IP55	Male	500V	Threaded	WF28J7TW-2
7	plug	Crimp	25A	IP55	Male	500V	Threaded	WF28J7TW-3
7	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J7ZA1
7	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J7ZA-2
7	receptacle	Crimp	25A	IP65	Male	500V	Threaded	WF28J7ZA-3
7	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J7ZAB1
7	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J7ZAB-2
7	receptacle	Crimp	25A	IP65	Male	500V	Threaded	WF28J7ZAB-3
7	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J7ZAF1
7	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J7ZAF-2
7	receptacle	Crimp	25A	IP65	Male	500V	Threaded	WF28J7ZAF-3
7	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J7ZE1
7	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J7ZE-2
7	receptacle	Crimp	25A	IP67	Male	500V	Threaded	WF28J7ZE-3
7	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J7ZEB1
7	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J7ZEB-2
7	receptacle	Crimp	25A	IP67	Male	500V	Threaded	WF28J7ZEB-3
7	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J7ZEF1
7	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J7ZEF-2
7	receptacle	Crimp	25A	IP67	Male	500V	Threaded	WF28J7ZEF-3
7	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J7ZG1
7	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J7ZG-2
7	receptacle	Crimp	25A	IP67	Male	500V	Threaded	WF28J7ZG-3
7	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J7ZI1
7	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J7ZI-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLUDI INC	DADT MUMDED
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
7	receptacle	Crimp	25A	IP65	Male	500V	Threaded	WF28J7ZI-3
7	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J7ZIB1
7	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J7ZIB-2
7	receptacle	Crimp	25A	IP65	Male	500V	Threaded	WF28J7ZIB-3
7	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J7ZIF1
7	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J7ZIF-2
7	receptacle	Crimp	25A	IP65	Male	500V	Threaded	WF28J7ZIF-3
7	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J7ZM1
7	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J7ZM-2
7	receptacle	Crimp	25A	IP67	Male	500V	Threaded	WF28J7ZM-3
7	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J7ZMQ1
7	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J7ZMQ-2
7	receptacle	Crimp	25A	IP67	Male	500V	Threaded	WF28J7ZMQ-3
7	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J7ZN1
7	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J7ZN-2
7	receptacle	Crimp	25A	IP55	Male	500V	Threaded	WF28J7ZN-3
7	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J7ZNB1
7	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J7ZNB-2
7	receptacle	Crimp	25A	IP55	Male	500V	Threaded	WF28J7ZNB-3
7	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J7ZNF1
7	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J7ZNF-2
7	receptacle	Crimp	25A	IP55	Male	500V	Threaded	WF28J7ZNF-3
7	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J7ZZ1
7	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J7ZZ-2
7	receptacle	Crimp	25A	IP67	Male	500V	Threaded	WF28J7ZZ-3
8B	plug	solder		IP65	Male	500V	Threaded	WF28J8BTA1
8B	plug	solder		IP67	Male	500V	Threaded	WF28J8BTE1
8B	plug	solder		IP65	Male	500V	Threaded	WF28J8BTI1
8B	plug	solder		IP55	Male	500V	Threaded	WF28J8BTN1
8B	plug	solder		IP65	Male	500V	Threaded	WF28J8BTU1
8B	plug	solder		IP65	Male	500V	Threaded	WF28J8BTV1
8B	plug	solder		IP55	Male	500V	Threaded	WF28J8BTW1
8B	receptacle	solder		IP65	Male	500V	Threaded	WF28J8BZA1
8B	receptacle	solder		IP65	Male	500V	Threaded	WF28J8BZAB1
8B	receptacle	solder		IP67	Male	500V	Threaded	WF28J8BZE1
8B	receptacle	solder		IP67	Male	500V	Threaded	WF28J8BZEB1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLUDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
8B	receptacle	solder		IP67	Male	500V	Threaded	WF28J8BZG1
8B	receptacle	solder		IP65	Male	500V	Threaded	WF28J8BZI1
8B	receptacle	solder		IP65	Male	500V	Threaded	WF28J8BZIB1
8B	receptacle	solder		IP67	Male	500V	Threaded	WF28J8BZM1
8B	receptacle	solder		IP55	Male	500V	Threaded	WF28J8BZN1
8B	receptacle	solder		IP55	Male	500V	Threaded	WF28J8BZNB1
8B	receptacle	solder		IP67	Male	500V	Threaded	WF28J8BZZ1
8	plug	solder	25A	IP65	Male	500V	Threaded	WF28J8TA1
8	plug	screw	25A	IP65	Male	500V	Threaded	WF28J8TA-2
8	plug	solder	25A	IP67	Male	500V	Threaded	WF28J8TE1
8	plug	screw	25A	IP67	Male	500V	Threaded	WF28J8TE-2
8	plug	solder	25A	IP65	Male	500V	Threaded	WF28J8TI1
8	plug	screw	25A	IP65	Male	500V	Threaded	WF28J8TI-2
8	plug	solder	25A	IP55	Male	500V	Threaded	WF28J8TN1
8	plug	screw	25A	IP55	Male	500V	Threaded	WF28J8TN-2
8	plug	solder	25A	IP65	Male	500V	Threaded	WF28J8TU1
8	plug	screw	25A	IP65	Male	500V	Threaded	WF28J8TU-2
8	plug	solder	25A	IP65	Male	500V	Threaded	WF28J8TV1
8	plug	screw	25A	IP65	Male	500V	Threaded	WF28J8TV-2
8	plug	solder	25A	IP55	Male	500V	Threaded	WF28J8TW1
8	plug	screw	25A	IP55	Male	500V	Threaded	WF28J8TW-2
8	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J8ZA1
8	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J8ZA-2
8	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J8ZAB1
8	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J8ZAB-2
8	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J8ZAF1
8	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J8ZAF-2
8	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J8ZE1
8	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J8ZE-2
8	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J8ZEB1
8	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J8ZEB-2
8	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J8ZEF1
8	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J8ZEF-2
8	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J8ZG1
8	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J8ZG-2
8	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J8ZI1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
8	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J8ZI-2
8	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J8ZIB1
8	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J8ZIB-2
8	receptacle	solder	25A	IP65	Male	500V	Threaded	WF28J8ZIF1
8	receptacle	screw	25A	IP65	Male	500V	Threaded	WF28J8ZIF-2
8	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J8ZM1
8	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J8ZM-2
8	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J8ZMQ1
8	receptacle	screw	25A	IP67	Male	500V	Threaded	WF28J8ZMQ-2
8	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J8ZN1
8	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J8ZN-2
8	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J8ZNB1
8	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J8ZNB-2
8	receptacle	solder	25A	IP55	Male	500V	Threaded	WF28J8ZNF1
8	receptacle	screw	25A	IP55	Male	500V	Threaded	WF28J8ZNF-2
8	receptacle	solder	25A	IP67	Male	500V	Threaded	WF28J8ZZ1
9	plug	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9TA1
9	plug	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9TA-2
9	plug	solder	5A,25A	IP67	Male	500V	Threaded	WF28J9TE1
9	plug	screw	5A,25A	IP67	Male	500V	Threaded	WF28J9TE-2
9	plug	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9TI1
9	plug	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9TI-2
9	plug	solder	5A,25A	IP55	Male	500V	Threaded	WF28J9TN1
9	plug	screw	5A,25A	IP55	Male	500V	Threaded	WF28J9TN-2
9	plug	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9TU1
9	plug	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9TU-2
9	plug	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9TV1
9	plug	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9TV-2
9	plug	solder	5A,25A	IP55	Male	500V	Threaded	WF28J9TW1
9	plug	screw	5A,25A	IP55	Male	500V	Threaded	WF28J9TW-2
9	receptacle	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9ZA1
9	receptacle	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9ZA-2
9	receptacle	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9ZAB1
9	receptacle	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9ZAB-2
9	receptacle	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9ZAF1
9	receptacle	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9ZAF-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	OCUPLING	DADT MUMDED
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
9	receptacle	solder	5A,25A	IP67	Male	500V	Threaded	WF28J9ZE1
9	receptacle	screw	5A,25A	IP67	Male	500V	Threaded	WF28J9ZE-2
9	receptacle	solder	5A,25A	IP67	Male	500V	Threaded	WF28J9ZEB1
9	receptacle	screw	5A,25A	IP67	Male	500V	Threaded	WF28J9ZEB-2
9	receptacle	solder	5A,25A	IP67	Male	500V	Threaded	WF28J9ZEF1
9	receptacle	screw	5A,25A	IP67	Male	500V	Threaded	WF28J9ZEF-2
9	receptacle	solder	5A,25A	IP67	Male	500V	Threaded	WF28J9ZG1
9	receptacle	screw	5A,25A	IP67	Male	500V	Threaded	WF28J9ZG-2
9	receptacle	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9ZI1
9	receptacle	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9ZI-2
9	receptacle	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9ZIB1
9	receptacle	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9ZIB-2
9	receptacle	solder	5A,25A	IP65	Male	500V	Threaded	WF28J9ZIF1
9	receptacle	screw	5A,25A	IP65	Male	500V	Threaded	WF28J9ZIF-2
9	receptacle	solder	5A,25A	IP67	Male	500V	Threaded	WF28J9ZM1
9	receptacle	screw	5A,25A	IP67	Male	500V	Threaded	WF28J9ZM-2
9	receptacle	solder	5A,25A	IP67	Male	500V	Threaded	WF28J9ZMQ1
9	receptacle	screw	5A,25A	IP67	Male	500V	Threaded	WF28J9ZMQ-2
9	receptacle	solder	5A,25A	IP55	Male	500V	Threaded	WF28J9ZN1
9	receptacle	screw	5A,25A	IP55	Male	500V	Threaded	WF28J9ZN-2
9	receptacle	solder	5A,25A	IP55	Male	500V	Threaded	WF28J9ZNB1
9	receptacle	screw	5A,25A	IP55	Male	500V	Threaded	WF28J9ZNB-2
9	receptacle	solder	5A,25A	IP55	Male	500V	Threaded	WF28J9ZNF1
9	receptacle	screw	5A,25A	IP55	Male	500V	Threaded	WF28J9ZNF-2
9	receptacle	solder	5A,25A	IP67	Male	500V	Threaded	WF28J9ZZ1
9	receptacle	screw	5A,25A	IP67	Male	500V	Threaded	WF28J9ZZ-2
10B	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K10BZAB1
10B	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K10BZEB1
10B	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K10BZIB1
10B	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K10BZMQ1
10B	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K10BZNB1
10	plug	solder	25A	IP65	Female	500V	Threaded	WF28K10TA1
10	plug	screw	25A	IP65	Female	500V	Threaded	WF28K10TA-2
10	plug	solder	25A	IP67	Female	500V	Threaded	WF28K10TE1
10	plug	screw	25A	IP67	Female	500V	Threaded	WF28K10TE-2
10	plug	solder	25A	IP65	Female	500V	Threaded	WF28K10TI1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
10	plug	screw	25A	IP65	Female	500V	Threaded	WF28K10TI-2
10	plug	solder	25A	IP55	Female	500V	Threaded	WF28K10TN1
10	plug	screw	25A	IP55	Female	500V	Threaded	WF28K10TN-2
10	plug	solder	25A	IP65	Female	500V	Threaded	WF28K10TU1
10	plug	screw	25A	IP65	Female	500V	Threaded	WF28K10TU-2
10	plug	solder	25A	IP65	Female	500V	Threaded	WF28K10TV1
10	plug	screw	25A	IP65	Female	500V	Threaded	WF28K10TV-2
10	plug	solder	25A	IP55	Female	500V	Threaded	WF28K10TW1
10	plug	screw	25A	IP55	Female	500V	Threaded	WF28K10TW-2
10	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K10ZA1
10	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K10ZA-2
10	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K10ZAB1
10	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K10ZAB-2
10	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K10ZAF1
10	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K10ZAF-2
10	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K10ZE1
10	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K10ZE-2
10	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K10ZEB1
10	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K10ZEB-2
10	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K10ZEF1
10	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K10ZEF-2
10	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K10ZG1
10	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K10ZG-2
10	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K10ZI1
10	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K10ZI-2
10	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K10ZIB1
10	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K10ZIB-2
10	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K10ZIF1
10	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K10ZIF-2
10	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K10ZM1
10	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K10ZM-2
10	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K10ZMQ1
10	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K10ZMQ-2
10	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K10ZN1
10	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K10ZN-2
10	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K10ZNB1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLUDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
10	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K10ZNB-2
10	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K10ZNF1
10	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K10ZNF-2
10	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K10ZZ1
10	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K10ZZ-2
12	plug	solder	10A	IP65	Female	500V	Threaded	WF28K12TA1
12	plug	Crimp	10A	IP65	Female	500V	Threaded	WF28K12TA-3
12	plug	solder	10A	IP67	Female	500V	Threaded	WF28K12TE1
12	plug	Crimp	10A	IP67	Female	500V	Threaded	WF28K12TE-3
12	plug	solder	10A	IP65	Female	500V	Threaded	WF28K12TI1
12	plug	Crimp	10A	IP65	Female	500V	Threaded	WF28K12TI-3
12	plug	solder	10A	IP55	Female	500V	Threaded	WF28K12TN1
12	plug	Crimp	10A	IP55	Female	500V	Threaded	WF28K12TN-3
12	plug	solder	10A	IP65	Female	500V	Threaded	WF28K12TU1
12	plug	Crimp	10A	IP65	Female	500V	Threaded	WF28K12TU-3
12	plug	solder	10A	IP65	Female	500V	Threaded	WF28K12TV1
12	plug	Crimp	10A	IP65	Female	500V	Threaded	WF28K12TV-3
12	plug	solder	10A	IP55	Female	500V	Threaded	WF28K12TW1
12	plug	Crimp	10A	IP55	Female	500V	Threaded	WF28K12TW-3
12	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K12ZA1
12	receptacle	Crimp	10A	IP65	Female	500V	Threaded	WF28K12ZA-3
12	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K12ZAB1
12	receptacle	Crimp	10A	IP65	Female	500V	Threaded	WF28K12ZAB-3
12	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K12ZAF1
12	receptacle	Crimp	10A	IP65	Female	500V	Threaded	WF28K12ZAF-3
12	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K12ZE1
12	receptacle	Crimp	10A	IP67	Female	500V	Threaded	WF28K12ZE-3
12	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K12ZEB1
12	receptacle	Crimp	10A	IP67	Female	500V	Threaded	WF28K12ZEB-3
12	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K12ZEF1
12	receptacle	Crimp	10A	IP67	Female	500V	Threaded	WF28K12ZEF-3
12	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K12ZG1
12	receptacle	Crimp	10A	IP67	Female	500V	Threaded	WF28K12ZG-3
12	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K12ZI1
12	receptacle	Crimp	10A	IP65	Female	500V	Threaded	WF28K12ZI-3
12	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K12ZIB1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
12	receptacle	Crimp	10A	IP65	Female	500V	Threaded	WF28K12ZIB-3
12	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K12ZIF1
12	receptacle	Crimp	10A	IP65	Female	500V	Threaded	WF28K12ZIF-3
12	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K12ZM1
12	receptacle	Crimp	10A	IP67	Female	500V	Threaded	WF28K12ZM-3
12	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K12ZMQ1
12	receptacle	Crimp	10A	IP67	Female	500V	Threaded	WF28K12ZMQ-3
12	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K12ZN1
12	receptacle	Crimp	10A	IP55	Female	500V	Threaded	WF28K12ZN-3
12	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K12ZNB1
12	receptacle	Crimp	10A	IP55	Female	500V	Threaded	WF28K12ZNB-3
12	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K12ZNF1
12	receptacle	Crimp	10A	IP55	Female	500V	Threaded	WF28K12ZNF-3
12	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K12ZZ1
12	receptacle	Crimp	10A	IP67	Female	500V	Threaded	WF28K12ZZ-3
15	plug	Crimp	5A	IP65	Female	400V	Threaded	WF28K15TA-3
15	plug	Crimp	5A	IP67	Female	400V	Threaded	WF28K15TE-3
15	plug	Crimp	5A	IP65	Female	400V	Threaded	WF28K15TI-3
15	plug	Crimp	5A	IP55	Female	400V	Threaded	WF28K15TN-3
15	plug	Crimp	5A	IP65	Female	400V	Threaded	WF28K15TU-3
15	plug	Crimp	5A	IP65	Female	400V	Threaded	WF28K15TV-3
15	plug	Crimp	5A	IP55	Female	400V	Threaded	WF28K15TW-3
15	receptacle	Crimp	5A	IP65	Female	400V	Threaded	WF28K15ZA-3
15	receptacle	Crimp	5A	IP65	Female	400V	Threaded	WF28K15ZAB-3
15	receptacle	Crimp	5A	IP65	Female	400V	Threaded	WF28K15ZAF-3
15	receptacle	Crimp	5A	IP67	Female	400V	Threaded	WF28K15ZE-3
15	receptacle	Crimp	5A	IP67	Female	400V	Threaded	WF28K15ZEB-3
15	receptacle	Crimp	5A	IP67	Female	400V	Threaded	WF28K15ZEF-3
15	receptacle	Crimp	5A	IP67	Female	400V	Threaded	WF28K15ZG-3
15	receptacle	Crimp	5A	IP65	Female	400V	Threaded	WF28K15ZI-3
15	receptacle	Crimp	5A	IP65	Female	400V	Threaded	WF28K15ZIB-3
15	receptacle	Crimp	5A	IP65	Female	400V	Threaded	WF28K15ZIF-3
15	receptacle	Crimp	5A	IP67	Female	400V	Threaded	WF28K15ZM-3
15	receptacle	Crimp	5A	IP67	Female	400V	Threaded	WF28K15ZMQ-3
15	receptacle	Crimp	5A	IP55	Female	400V	Threaded	WF28K15ZN-3
15	receptacle	Crimp	5A	IP55	Female	400V	Threaded	WF28K15ZNB-3

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
15	receptacle	Crimp	5A	IP55	Female	400V	Threaded	WF28K15ZNF-3
15	receptacle	Crimp	5A	IP67	Female	400V	Threaded	WF28K15ZZ-3
16	plug	solder	10A	IP65	Female	500V	Threaded	WF28K16TA1
16	plug	solder	10A	IP67	Female	500V	Threaded	WF28K16TE1
16	plug	solder	10A	IP65	Female	500V	Threaded	WF28K16TI1
16	plug	solder	10A	IP55	Female	500V	Threaded	WF28K16TN1
16	plug	solder	10A	IP65	Female	500V	Threaded	WF28K16TU1
16	plug	solder	10A	IP65	Female	500V	Threaded	WF28K16TV1
16	plug	solder	10A	IP55	Female	500V	Threaded	WF28K16TW1
16	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K16ZA1
16	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K16ZAB1
16	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K16ZAF1
16	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K16ZE1
16	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K16ZEB1
16	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K16ZEF1
16	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K16ZG1
16	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K16ZI1
16	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K16ZIB1
16	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K16ZIF1
16	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K16ZM1
16	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K16ZMQ1
16	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K16ZN1
16	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K16ZNB1
16	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K16ZNF1
16	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K16ZZ1
17	plug	solder	10A	IP65	Female	500V	Threaded	WF28K17TA1
17	plug	solder	10A	IP67	Female	500V	Threaded	WF28K17TE1
17	plug	solder	10A	IP65	Female	500V	Threaded	WF28K17TI1
17	plug	solder	10A	IP55	Female	500V	Threaded	WF28K17TN1
17	plug	solder	10A	IP65	Female	500V	Threaded	WF28K17TU1
17	plug	solder	10A	IP65	Female	500V	Threaded	WF28K17TV1
17	plug	solder	10A	IP55	Female	500V	Threaded	WF28K17TW1
17	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K17ZA1
17	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K17ZAB1
17	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K17ZAF1
17	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K17ZE1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
17	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K17ZEB1
17	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K17ZEF1
17	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K17ZG1
17	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K17ZI1
17	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K17ZIB1
17	receptacle	solder	10A	IP65	Female	500V	Threaded	WF28K17ZIF1
17	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K17ZM1
17	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K17ZMQ1
17	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K17ZN1
17	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K17ZNB1
17	receptacle	solder	10A	IP55	Female	500V	Threaded	WF28K17ZNF1
17	receptacle	solder	10A	IP67	Female	500V	Threaded	WF28K17ZZ1
19	plug	Crimp	5A	IP65	Female	500V	Threaded	WF28K19TA-3
19	plug	Crimp	5A	IP67	Female	500V	Threaded	WF28K19TE-3
19	plug	Crimp	5A	IP65	Female	500V	Threaded	WF28K19TI-3
19	plug	Crimp	5A	IP55	Female	500V	Threaded	WF28K19TN-3
19	plug	Crimp	5A	IP65	Female	500V	Threaded	WF28K19TU-3
19	plug	Crimp	5A	IP65	Female	500V	Threaded	WF28K19TV-3
19	plug	Crimp	5A	IP55	Female	500V	Threaded	WF28K19TW-3
19	receptacle	Crimp	5A	IP65	Female	500V	Threaded	WF28K19ZA-3
19	receptacle	Crimp	5A	IP65	Female	500V	Threaded	WF28K19ZAB-3
19	receptacle	Crimp	5A	IP65	Female	500V	Threaded	WF28K19ZAF-3
19	receptacle	Crimp	5A	IP67	Female	500V	Threaded	WF28K19ZE-3
19	receptacle	Crimp	5A	IP67	Female	500V	Threaded	WF28K19ZEB-3
19	receptacle	Crimp	5A	IP67	Female	500V	Threaded	WF28K19ZEF-3
19	receptacle	Crimp	5A	IP67	Female	500V	Threaded	WF28K19ZG-3
19	receptacle	Crimp	5A	IP65	Female	500V	Threaded	WF28K19ZI-3
19	receptacle	Crimp	5A	IP65	Female	500V	Threaded	WF28K19ZIB-3
19	receptacle	Crimp	5A	IP65	Female	500V	Threaded	WF28K19ZIF-3
19	receptacle	Crimp	5A	IP67	Female	500V	Threaded	WF28K19ZM-3
19	receptacle	Crimp	5A	IP67	Female	500V	Threaded	WF28K19ZMQ-3
19	receptacle	Crimp	5A	IP55	Female	500V	Threaded	WF28K19ZN-3
19	receptacle	Crimp	5A	IP55	Female	500V	Threaded	WF28K19ZNB-3
19	receptacle	Crimp	5A	IP55	Female	500V	Threaded	WF28K19ZNF-3
19	receptacle	Crimp	5A	IP67	Female	500V	Threaded	WF28K19ZZ-3
20	plug	solder	5A	IP65	Female	400V	Threaded	WF28K20TA1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	OCUPLING	DADT MUMDED
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
20	plug	solder	5A	IP67	Female	400V	Threaded	WF28K20TE1
20	plug	solder	5A	IP65	Female	400V	Threaded	WF28K20TI1
20	plug	solder	5A	IP55	Female	400V	Threaded	WF28K20TN1
20	plug	solder	5A	IP65	Female	400V	Threaded	WF28K20TU1
20	plug	solder	5A	IP65	Female	400V	Threaded	WF28K20TV1
20	plug	solder	5A	IP55	Female	400V	Threaded	WF28K20TW1
20	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K20ZA1
20	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K20ZAB1
20	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K20ZAF1
20	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K20ZE1
20	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K20ZEB1
20	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K20ZEF1
20	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K20ZG1
20	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K20ZI1
20	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K20ZIB1
20	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K20ZIF1
20	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K20ZM1
20	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K20ZMQ1
20	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K20ZN1
20	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K20ZNB1
20	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K20ZNF1
20	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K20ZZ1
24	plug	solder	5A	IP65	Female	400V	Threaded	WF28K24TA1
24	plug	solder	5A	IP67	Female	400V	Threaded	WF28K24TE1
24	plug	solder	5A	IP65	Female	400V	Threaded	WF28K24TI1
24	plug	solder	5A	IP55	Female	400V	Threaded	WF28K24TN1
24	plug	solder	5A	IP65	Female	400V	Threaded	WF28K24TU1
24	plug	solder	5A	IP65	Female	400V	Threaded	WF28K24TV1
24	plug	solder	5A	IP55	Female	400V	Threaded	WF28K24TW1
24	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K24ZA1
24	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K24ZAB1
24	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K24ZAF1
24	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K24ZE1
24	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K24ZEB1
24	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K24ZEF1
24	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K24ZG1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
24	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K24ZI1
24	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K24ZIB1
24	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K24ZIF1
24	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K24ZM1
24	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K24ZMQ1
24	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K24ZN1
24	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K24ZNB1
24	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K24ZNF1
24	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K24ZZ1
26	plug	solder	5A	IP65	Female	400V	Threaded	WF28K26TA1
26	plug	solder	5A	IP67	Female	400V	Threaded	WF28K26TE1
26	plug	solder	5A	IP65	Female	400V	Threaded	WF28K26TI1
26	plug	solder	5A	IP55	Female	400V	Threaded	WF28K26TN1
26	plug	solder	5A	IP65	Female	400V	Threaded	WF28K26TU1
26	plug	solder	5A	IP65	Female	400V	Threaded	WF28K26TV1
26	plug	solder	5A	IP55	Female	400V	Threaded	WF28K26TW1
26	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K26ZA1
26	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K26ZAB1
26	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K26ZAF1
26	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K26ZE1
26	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K26ZEB1
26	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K26ZEF1
26	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K26ZG1
26	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K26ZI1
26	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K26ZIB1
26	receptacle	solder	5A	IP65	Female	400V	Threaded	WF28K26ZIF1
26	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K26ZM1
26	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K26ZMQ1
26	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K26ZN1
26	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K26ZNB1
26	receptacle	solder	5A	IP55	Female	400V	Threaded	WF28K26ZNF1
26	receptacle	solder	5A	IP67	Female	400V	Threaded	WF28K26ZZ1
2	plug	solder	50A	IP65	Female	500V	Threaded	WF28K2CTA1
2	plug	screw	50A	IP65	Female	500V	Threaded	WF28K2CTA-2
2	plug	solder	50A	IP67	Female	500V	Threaded	WF28K2CTE1
2	plug	screw	50A	IP67	Female	500V	Threaded	WF28K2CTE-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
2	plug	solder	50A	IP65	Female	500V	Threaded	WF28K2CTI1
2	plug	screw	50A	IP65	Female	500V	Threaded	WF28K2CTI-2
2	plug	solder	50A	IP55	Female	500V	Threaded	WF28K2CTN1
2	plug	screw	50A	IP55	Female	500V	Threaded	WF28K2CTN-2
2	plug	solder	50A	IP65	Female	500V	Threaded	WF28K2CTU1
2	plug	screw	50A	IP65	Female	500V	Threaded	WF28K2CTU-2
2	plug	solder	50A	IP65	Female	500V	Threaded	WF28K2CTV1
2	plug	screw	50A	IP65	Female	500V	Threaded	WF28K2CTV-2
2	plug	solder	50A	IP55	Female	500V	Threaded	WF28K2CTW1
2	plug	screw	50A	IP55	Female	500V	Threaded	WF28K2CTW-2
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2CZA1
2	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K2CZA-2
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2CZAF1
2	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K2CZAF-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2CZE1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2CZE-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2CZEF1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2CZEF-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2CZG1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2CZG-2
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2CZI1
2	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K2CZI-2
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2CZIF1
2	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K2CZIF-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2CZM1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2CZM-2
2	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K2CZN1
2	receptacle	screw	50A	IP55	Female	500V	Threaded	WF28K2CZN-2
2	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K2CZNF1
2	receptacle	screw	50A	IP55	Female	500V	Threaded	WF28K2CZNF-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2CZZ1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2CZZ-2
2	plug	solder	50A	IP65	Female	500V	Threaded	WF28K2TA1
2	plug	screw	50A	IP65	Female	500V	Threaded	WF28K2TA-2
2	plug	solder	50A	IP67	Female	500V	Threaded	WF28K2TE1
2	plug	screw	50A	IP67	Female	500V	Threaded	WF28K2TE-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
2	plug	screw	50A	IP65	Female	500V	Threaded	WF28K2TI-2
2	plug	solder	50A	IP55	Female	500V	Threaded	WF28K2TN1
2	plug	screw	50A	IP55	Female	500V	Threaded	WF28K2TN-2
2	plug	solder	50A	IP65	Female	500V	Threaded	WF28K2TU1
2	plug	screw	50A	IP65	Female	500V	Threaded	WF28K2TU-2
2	plug	solder	50A	IP65	Female	500V	Threaded	WF28K2TV1
2	plug	screw	50A	IP65	Female	500V	Threaded	WF28K2TV-2
2	plug	solder	50A	IP55	Female	500V	Threaded	WF28K2TW1
2	plug	screw	50A	IP55	Female	500V	Threaded	WF28K2TW-2
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2ZA1
2	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K2ZA-2
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2ZAB1
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2ZAF1
2	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K2ZAF-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2ZE1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2ZE-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2ZEB1
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2ZEF1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2ZEF-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2ZG1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2ZG-2
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2ZI1
2	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K2ZI-2
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2ZIB1
2	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K2ZIF1
2	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K2ZIF-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2ZM1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2ZM-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2ZMQ1
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2ZMQ-2
2	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K2ZN1
2	receptacle	screw	50A	IP55	Female	500V	Threaded	WF28K2ZN-2
2	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K2ZNB1
2	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K2ZNF1
2	receptacle	screw	50A	IP55	Female	500V	Threaded	WF28K2ZNF-2
2	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K2ZZ1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
2	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K2ZZ-2
3	plug	solder	50A	IP65	Female	500V	Threaded	WF28K3CTA1
3	plug	screw	50A	IP65	Female	500V	Threaded	WF28K3CTA-2
3	plug	solder	50A	IP67	Female	500V	Threaded	WF28K3CTE1
3	plug	screw	50A	IP67	Female	500V	Threaded	WF28K3CTE-2
3	plug	solder	50A	IP65	Female	500V	Threaded	WF28K3CTI1
3	plug	screw	50A	IP65	Female	500V	Threaded	WF28K3CTI-2
3	plug	solder	50A	IP55	Female	500V	Threaded	WF28K3CTN1
3	plug	screw	50A	IP55	Female	500V	Threaded	WF28K3CTN-2
3	plug	solder	50A	IP65	Female	500V	Threaded	WF28K3CTU1
3	plug	screw	50A	IP65	Female	500V	Threaded	WF28K3CTU-2
3	plug	solder	50A	IP65	Female	500V	Threaded	WF28K3CTV1
3	plug	screw	50A	IP65	Female	500V	Threaded	WF28K3CTV-2
3	plug	solder	50A	IP55	Female	500V	Threaded	WF28K3CTW1
3	plug	screw	50A	IP55	Female	500V	Threaded	WF28K3CTW-2
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3CZA1
3	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K3CZA-2
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3CZAF1
3	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K3CZAF-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3CZE1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3CZE-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3CZEF1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3CZEF-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3CZG1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3CZG-2
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3CZI1
3	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K3CZI-2
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3CZIF1
3	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K3CZIF-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3CZM1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3CZM-2
3	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K3CZN1
3	receptacle	screw	50A	IP55	Female	500V	Threaded	WF28K3CZN-2
3	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K3CZNF1
3	receptacle	screw	50A	IP55	Female	500V	Threaded	WF28K3CZNF-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3CZZ1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLUDI INC	DADT MUMBED
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3CZZ-2
3	plug	solder	50A	IP65	Female	500V	Threaded	WF28K3TA1
3	plug	screw	50A	IP65	Female	500V	Threaded	WF28K3TA-2
3	plug	solder	50A	IP67	Female	500V	Threaded	WF28K3TE1
3	plug	screw	50A	IP67	Female	500V	Threaded	WF28K3TE-2
3	plug	solder	50A	IP65	Female	500V	Threaded	WF28K3TI1
3	plug	screw	50A	IP65	Female	500V	Threaded	WF28K3TI-2
3	plug	solder	50A	IP55	Female	500V	Threaded	WF28K3TN1
3	plug	screw	50A	IP55	Female	500V	Threaded	WF28K3TN-2
3	plug	solder	50A	IP65	Female	500V	Threaded	WF28K3TU1
3	plug	screw	50A	IP65	Female	500V	Threaded	WF28K3TU-2
3	plug	solder	50A	IP65	Female	500V	Threaded	WF28K3TV1
3	plug	screw	50A	IP65	Female	500V	Threaded	WF28K3TV-2
3	plug	solder	50A	IP55	Female	500V	Threaded	WF28K3TW1
3	plug	screw	50A	IP55	Female	500V	Threaded	WF28K3TW-2
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3ZA1
3	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K3ZA-2
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3ZAB1
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3ZAF1
3	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K3ZAF-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3ZE1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3ZE-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3ZEB1
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3ZEF1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3ZEF-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3ZG1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3ZG-2
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3ZI1
3	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K3ZI-2
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3ZIB1
3	receptacle	solder	50A	IP65	Female	500V	Threaded	WF28K3ZIF1
3	receptacle	screw	50A	IP65	Female	500V	Threaded	WF28K3ZIF-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3ZM1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3ZM-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3ZMQ1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3ZMQ-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
3	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K3ZN1
3	receptacle	screw	50A	IP55	Female	500V	Threaded	WF28K3ZN-2
3	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K3ZNB1
3	receptacle	solder	50A	IP55	Female	500V	Threaded	WF28K3ZNF1
3	receptacle	screw	50A	IP55	Female	500V	Threaded	WF28K3ZNF-2
3	receptacle	solder	50A	IP67	Female	500V	Threaded	WF28K3ZZ1
3	receptacle	screw	50A	IP67	Female	500V	Threaded	WF28K3ZZ-2
4	plug	solder	25A	IP65	Female	500V	Threaded	WF28K4CTA1
4	plug	screw	25A	IP65	Female	500V	Threaded	WF28K4CTA-2
4	plug	solder	25A	IP67	Female	500V	Threaded	WF28K4CTE1
4	plug	screw	25A	IP67	Female	500V	Threaded	WF28K4CTE-2
4	plug	solder	25A	IP65	Female	500V	Threaded	WF28K4CTI1
4	plug	screw	25A	IP65	Female	500V	Threaded	WF28K4CTI-2
4	plug	solder	25A	IP55	Female	500V	Threaded	WF28K4CTN1
4	plug	screw	25A	IP55	Female	500V	Threaded	WF28K4CTN-2
4	plug	solder	25A	IP65	Female	500V	Threaded	WF28K4CTU1
4	plug	screw	25A	IP65	Female	500V	Threaded	WF28K4CTU-2
4	plug	solder	25A	IP65	Female	500V	Threaded	WF28K4CTV1
4	plug	screw	25A	IP65	Female	500V	Threaded	WF28K4CTV-2
4	plug	solder	25A	IP55	Female	500V	Threaded	WF28K4CTW1
4	plug	screw	25A	IP55	Female	500V	Threaded	WF28K4CTW-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4CZA1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4CZA-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4CZAF1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4CZAF-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4CZE1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4CZE-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4CZEF1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4CZEF-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4CZG1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4CZG-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4CZI1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4CZI-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4CZIF1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4CZIF-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4CZM1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	OCUPLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4CZM-2
4	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K4CZN1
4	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K4CZN-2
4	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K4CZNF1
4	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K4CZNF-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4CZZ1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4CZZ-2
4	plug	solder	25A	IP65	Female	500V	Threaded	WF28K4TA1
4	plug	screw	25A	IP65	Female	500V	Threaded	WF28K4TA-2
4	plug	solder	25A	IP67	Female	500V	Threaded	WF28K4TE1
4	plug	screw	25A	IP67	Female	500V	Threaded	WF28K4TE-2
4	plug	solder	25A	IP65	Female	500V	Threaded	WF28K4TI1
4	plug	screw	25A	IP65	Female	500V	Threaded	WF28K4TI-2
4	plug	solder	25A	IP55	Female	500V	Threaded	WF28K4TN1
4	plug	screw	25A	IP55	Female	500V	Threaded	WF28K4TN-2
4	plug	solder	25A	IP65	Female	500V	Threaded	WF28K4TU1
4	plug	screw	25A	IP65	Female	500V	Threaded	WF28K4TU-2
4	plug	solder	25A	IP65	Female	500V	Threaded	WF28K4TV1
4	plug	screw	25A	IP65	Female	500V	Threaded	WF28K4TV-2
4	plug	solder	25A	IP55	Female	500V	Threaded	WF28K4TW1
4	plug	screw	25A	IP55	Female	500V	Threaded	WF28K4TW-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4ZA1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4ZA-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4ZAB1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4ZAB-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4ZAF1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4ZAF-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4ZE1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4ZE-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4ZEB1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4ZEB-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4ZEF1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4ZEF-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4ZG1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4ZG-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4ZI1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4ZI-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4ZIB1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4ZIB-2
4	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K4ZIF1
4	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K4ZIF-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4ZM1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4ZM-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4ZMQ1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4ZMQ-2
4	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K4ZN1
4	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K4ZN-2
4	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K4ZNB1
4	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K4ZNB-2
4	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K4ZNF1
4	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K4ZNF-2
4	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K4ZZ1
4	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K4ZZ-2
7	plug	solder	25A	IP65	Female	500V	Threaded	WF28K7TA1
7	plug	screw	25A	IP65	Female	500V	Threaded	WF28K7TA-2
7	plug	Crimp	25A	IP65	Female	500V	Threaded	WF28K7TA-3
7	plug	solder	25A	IP67	Female	500V	Threaded	WF28K7TE1
7	plug	screw	25A	IP67	Female	500V	Threaded	WF28K7TE-2
7	plug	Crimp	25A	IP67	Female	500V	Threaded	WF28K7TE-3
7	plug	solder	25A	IP65	Female	500V	Threaded	WF28K7TI1
7	plug	screw	25A	IP65	Female	500V	Threaded	WF28K7TI-2
7	plug	Crimp	25A	IP65	Female	500V	Threaded	WF28K7TI-3
7	plug	solder	25A	IP55	Female	500V	Threaded	WF28K7TN1
7	plug	screw	25A	IP55	Female	500V	Threaded	WF28K7TN-2
7	plug	Crimp	25A	IP55	Female	500V	Threaded	WF28K7TN-3
7	plug	solder	25A	IP65	Female	500V	Threaded	WF28K7TU1
7	plug	screw	25A	IP65	Female	500V	Threaded	WF28K7TU-2
7	plug	Crimp	25A	IP65	Female	500V	Threaded	WF28K7TU-3
7	plug	solder	25A	IP65	Female	500V	Threaded	WF28K7TV1
7	plug	screw	25A	IP65	Female	500V	Threaded	WF28K7TV-2
7	plug	Crimp	25A	IP65	Female	500V	Threaded	WF28K7TV-3
7	plug	solder	25A	IP55	Female	500V	Threaded	WF28K7TW1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
7	plug	screw	25A	IP55	Female	500V	Threaded	WF28K7TW-2
7	plug	Crimp	25A	IP55	Female	500V	Threaded	WF28K7TW-3
7	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K7ZA1
7	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K7ZA-2
7	receptacle	Crimp	25A	IP65	Female	500V	Threaded	WF28K7ZA-3
7	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K7ZAB1
7	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K7ZAB-2
7	receptacle	Crimp	25A	IP65	Female	500V	Threaded	WF28K7ZAB-3
7	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K7ZAF1
7	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K7ZAF-2
7	receptacle	Crimp	25A	IP65	Female	500V	Threaded	WF28K7ZAF-3
7	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K7ZE1
7	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K7ZE-2
7	receptacle	Crimp	25A	IP67	Female	500V	Threaded	WF28K7ZE-3
7	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K7ZEB1
7	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K7ZEB-2
7	receptacle	Crimp	25A	IP67	Female	500V	Threaded	WF28K7ZEB-3
7	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K7ZEF1
7	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K7ZEF-2
7	receptacle	Crimp	25A	IP67	Female	500V	Threaded	WF28K7ZEF-3
7	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K7ZG1
7	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K7ZG-2
7	receptacle	Crimp	25A	IP67	Female	500V	Threaded	WF28K7ZG-3
7	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K7ZI1
7	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K7ZI-2
7	receptacle	Crimp	25A	IP65	Female	500V	Threaded	WF28K7ZI-3
7	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K7ZIB1
7	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K7ZIB-2
7	receptacle	Crimp	25A	IP65	Female	500V	Threaded	WF28K7ZIB-3
7	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K7ZIF1
7	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K7ZIF-2
7	receptacle	Crimp	25A	IP65	Female	500V	Threaded	WF28K7ZIF-3
7	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K7ZM1
7	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K7ZM-2
7	receptacle	Crimp	25A	IP67	Female	500V	Threaded	WF28K7ZM-3
7	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K7ZMQ1

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLIDLING	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
7	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K7ZMQ-2
7	receptacle	Crimp	25A	IP67	Female	500V	Threaded	WF28K7ZMQ-3
7	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K7ZN1
7	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K7ZN-2
7	receptacle	Crimp	25A	IP55	Female	500V	Threaded	WF28K7ZN-3
7	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K7ZNB1
7	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K7ZNB-2
7	receptacle	Crimp	25A	IP55	Female	500V	Threaded	WF28K7ZNB-3
7	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K7ZNF1
7	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K7ZNF-2
7	receptacle	Crimp	25A	IP55	Female	500V	Threaded	WF28K7ZNF-3
7	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K7ZZ1
7	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K7ZZ-2
7	receptacle	Crimp	25A	IP67	Female	500V	Threaded	WF28K7ZZ-3
8B	plug	solder		IP65	Female	500V	Threaded	WF28K8BTA1
8B	plug	solder		IP67	Female	500V	Threaded	WF28K8BTE1
8B	plug	solder		IP65	Female	500V	Threaded	WF28K8BTI1
8B	plug	solder		IP55	Female	500V	Threaded	WF28K8BTN1
8B	plug	solder		IP65	Female	500V	Threaded	WF28K8BTU1
8B	plug	solder		IP65	Female	500V	Threaded	WF28K8BTV1
8B	plug	solder		IP55	Female	500V	Threaded	WF28K8BTW1
8B	receptacle	solder		IP65	Female	500V	Threaded	WF28K8BZA1
8B	receptacle	solder		IP65	Female	500V	Threaded	WF28K8BZAB1
8B	receptacle	solder		IP67	Female	500V	Threaded	WF28K8BZE1
8B	receptacle	solder		IP67	Female	500V	Threaded	WF28K8BZEB1
8B	receptacle	solder		IP67	Female	500V	Threaded	WF28K8BZG1
8B	receptacle	solder		IP65	Female	500V	Threaded	WF28K8BZI1
8B	receptacle	solder		IP65	Female	500V	Threaded	WF28K8BZIB1
8B	receptacle	solder		IP67	Female	500V	Threaded	WF28K8BZM1
8B	receptacle	solder		IP55	Female	500V	Threaded	WF28K8BZN1
8B	receptacle	solder		IP55	Female	500V	Threaded	WF28K8BZNB1
8B	receptacle	solder		IP67	Female	500V	Threaded	WF28K8BZZ1
8	plug	solder	25A	IP65	Female	500V	Threaded	WF28K8TA1
8	plug	screw	25A	IP65	Female	500V	Threaded	WF28K8TA-2
8	plug	solder	25A	IP67	Female	500V	Threaded	WF28K8TE1
8	plug	screw	25A	IP67	Female	500V	Threaded	WF28K8TE-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLUDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
8	plug	solder	25A	IP65	Female	500V	Threaded	WF28K8TI1
8	plug	screw	25A	IP65	Female	500V	Threaded	WF28K8TI-2
8	plug	solder	25A	IP55	Female	500V	Threaded	WF28K8TN1
8	plug	screw	25A	IP55	Female	500V	Threaded	WF28K8TN-2
8	plug	solder	25A	IP65	Female	500V	Threaded	WF28K8TU1
8	plug	screw	25A	IP65	Female	500V	Threaded	WF28K8TU-2
8	plug	solder	25A	IP65	Female	500V	Threaded	WF28K8TV1
8	plug	screw	25A	IP65	Female	500V	Threaded	WF28K8TV-2
8	plug	solder	25A	IP55	Female	500V	Threaded	WF28K8TW1
8	plug	screw	25A	IP55	Female	500V	Threaded	WF28K8TW-2
8	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K8ZA1
8	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K8ZA-2
8	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K8ZAB1
8	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K8ZAB-2
8	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K8ZAF1
8	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K8ZAF-2
8	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K8ZE1
8	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K8ZE-2
8	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K8ZEB1
8	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K8ZEB-2
8	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K8ZEF1
8	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K8ZEF-2
8	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K8ZG1
8	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K8ZG-2
8	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K8ZI1
8	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K8ZI-2
8	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K8ZIB1
8	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K8ZIB-2
8	receptacle	solder	25A	IP65	Female	500V	Threaded	WF28K8ZIF1
8	receptacle	screw	25A	IP65	Female	500V	Threaded	WF28K8ZIF-2
8	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K8ZM1
8	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K8ZM-2
8	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K8ZMQ1
8	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K8ZMQ-2
8	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K8ZN1
8	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K8ZN-2

NUMBER OF	CONNECTOR	TERMINATION	RATED	IP	CONTACT	RATED	COLUDI INC	DADT NUMBER
CONTACTS	CATEGORY	TYPE	CURRENT	RATING	GENDER	VOLTAGE	COUPLING	PART NUMBER
8	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K8ZNB1
8	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K8ZNB-2
8	receptacle	solder	25A	IP55	Female	500V	Threaded	WF28K8ZNF1
8	receptacle	screw	25A	IP55	Female	500V	Threaded	WF28K8ZNF-2
8	receptacle	solder	25A	IP67	Female	500V	Threaded	WF28K8ZZ1
8	receptacle	screw	25A	IP67	Female	500V	Threaded	WF28K8ZZ-2
9	plug	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9TA1
9	plug	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9TA-2
9	plug	solder	5A,25A	IP67	Female	500V	Threaded	WF28K9TE1
9	plug	screw	5A,25A	IP67	Female	500V	Threaded	WF28K9TE-2
9	plug	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9TI1
9	plug	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9TI-2
9	plug	solder	5A,25A	IP55	Female	500V	Threaded	WF28K9TN1
9	plug	screw	5A,25A	IP55	Female	500V	Threaded	WF28K9TN-2
9	plug	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9TU1
9	plug	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9TU-2
9	plug	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9TV1
9	plug	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9TV-2
9	plug	solder	5A,25A	IP55	Female	500V	Threaded	WF28K9TW1
9	plug	screw	5A,25A	IP55	Female	500V	Threaded	WF28K9TW-2
9	receptacle	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9ZA1
9	receptacle	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9ZA-2
9	receptacle	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9ZAB1
9	receptacle	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9ZAB-2
9	receptacle	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9ZAF1
9	receptacle	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9ZAF-2
9	receptacle	solder	5A,25A	IP67	Female	500V	Threaded	WF28K9ZE1
9	receptacle	screw	5A,25A	IP67	Female	500V	Threaded	WF28K9ZE-2
9	receptacle	solder	5A,25A	IP67	Female	500V	Threaded	WF28K9ZEB1
9	receptacle	screw	5A,25A	IP67	Female	500V	Threaded	WF28K9ZEB-2
9	receptacle	solder	5A,25A	IP67	Female	500V	Threaded	WF28K9ZEF1
9	receptacle	screw	5A,25A	IP67	Female	500V	Threaded	WF28K9ZEF-2
9	receptacle	solder	5A,25A	IP67	Female	500V	Threaded	WF28K9ZG1
9	receptacle	screw	5A,25A	IP67	Female	500V	Threaded	WF28K9ZG-2
9	receptacle	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9ZI1
9	receptacle	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9ZI-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	receptacle	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9ZIB1
9	receptacle	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9ZIB-2
9	receptacle	solder	5A,25A	IP65	Female	500V	Threaded	WF28K9ZIF1
9	receptacle	screw	5A,25A	IP65	Female	500V	Threaded	WF28K9ZIF-2
9	receptacle	solder	5A,25A	IP67	Female	500V	Threaded	WF28K9ZM1
9	receptacle	screw	5A,25A	IP67	Female	500V	Threaded	WF28K9ZM-2
9	receptacle	solder	5A,25A	IP67	Female	500V	Threaded	WF28K9ZMQ1
9	receptacle	screw	5A,25A	IP67	Female	500V	Threaded	WF28K9ZMQ-2
9	receptacle	solder	5A,25A	IP55	Female	500V	Threaded	WF28K9ZN1
9	receptacle	screw	5A,25A	IP55	Female	500V	Threaded	WF28K9ZN-2
9	receptacle	solder	5A,25A	IP55	Female	500V	Threaded	WF28K9ZNB1
9	receptacle	screw	5A,25A	IP55	Female	500V	Threaded	WF28K9ZNB-2
9	receptacle	solder	5A,25A	IP55	Female	500V	Threaded	WF28K9ZNF1
9	receptacle	screw	5A,25A	IP55	Female	500V	Threaded	WF28K9ZNF-2
9	receptacle	solder	5A,25A	IP67	Female	500V	Threaded	WF28K9ZZ1
9	receptacle	screw	5A,25A	IP67	Female	500V	Threaded	WF28K9ZZ-2