



Weipu WS16 Series Attributes and Product Codes



Live Electronics is dedicated to providing exceptional service and Emech components at a competitive price.

[View the WS16 Series here](#)

[Enquire about the WS16 Series here](#)

[View the Weipu range here](#)

+44 (0)1522 244849
Sales@liveelectronics.co.uk

**Unit H, Hillcroft Business Park
Whisby Road
Lincoln
LN6 3QT**

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
10	plug	solder	5A	indoor	Male	400V	Threaded	WS16J10TD1
10	plug	solder	5A	indoor	Male	400V	Threaded	WS16J10TP1
10	plug	solder	5A	indoor	Male	400V	Threaded	WS16J10TQ1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZD1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZDB1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZDF1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZG1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZM1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZMQ1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZP1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZPB1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZPF1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZQ1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZQB1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZQF1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZY1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZYP1
10	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J10ZZ1-N
2B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J2BTD1
2B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J2BTP1
2B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J2BTQ1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZD1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZDB1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZG1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZM1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZMQ1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZP1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZPB1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZQ1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZQB1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZY1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZYP1
2B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J2BZZ1-N
2	plug	solder	10A	indoor	Male	500V	Threaded	WS16J2TD1
2	plug	Crimp	10A	indoor	Male	500V	Threaded	WS16J2TD-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	plug	solder	10A	indoor	Male	500V	Threaded	WS16J2TP1
2	plug	Crimp	10A	indoor	Male	500V	Threaded	WS16J2TP-3
2	plug	solder	10A	indoor	Male	500V	Threaded	WS16J2TQ1
2	plug	Crimp	10A	indoor	Male	500V	Threaded	WS16J2TQ-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZD1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZD-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZDB1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZDB-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZDF1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZDF-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZG1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZG-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZM1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZM-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZMQ1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZMQ-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZP1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZP-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZPB1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZPB-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZPF1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZPF-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZQ1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZQ-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZQB1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZQB-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZQF1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZQF-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZY1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZY-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZYB1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZYB-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZYF1
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZYF-3
2	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J2ZZ1-N
2	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J2ZZ-3N

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J3BTD1
3B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J3BTP1
3B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J3BTQ1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZD1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZDB1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZG1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZM1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZMQ1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZP1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZPB1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZQ1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZQB1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZY1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZYB1
3B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J3BZZ1-N
3	plug	solder	10A	indoor	Male	500V	Threaded	WS16J3TD1
3	plug	Crimp	10A	indoor	Male	500V	Threaded	WS16J3TD-3
3	plug	solder	10A	indoor	Male	500V	Threaded	WS16J3TP1
3	plug	Crimp	10A	indoor	Male	500V	Threaded	WS16J3TP-3
3	plug	solder	10A	indoor	Male	500V	Threaded	WS16J3TQ1
3	plug	Crimp	10A	indoor	Male	500V	Threaded	WS16J3TQ-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZD1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZD-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZDB1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZDB-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZDF1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZDF-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZG1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZG-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZM1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZM-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZMQ1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZMQ-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZP1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZP-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZPB1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZPB-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZPF1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZPF-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZQ1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZQ-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZQB1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZQB-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZQF1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZQF-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZY1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZY-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3Zyb1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3Zyb-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZYF1
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZYF-3
3	receptacle	solder	10A	indoor	Male	500V	Threaded	WS16J3ZZ1-N
3	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS16J3ZZ-3N
4B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J4BTD1
4B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J4BTP1
4B	plug	solder	15A	indoor	Male	500V	Threaded	WS16J4BTQ1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZD1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZDB1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZG1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZM1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZMQ1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZP1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZPB1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZQ1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZQB1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZY1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZyb1
4B	receptacle	solder	15A	indoor	Male	500V	Threaded	WS16J4BZZ1-N
4	plug	solder	5A	indoor	Male	500V	Threaded	WS16J4TD1
4	plug	Crimp	5A	indoor	Male	400V	Threaded	WS16J4TD-3
4	plug	solder	5A	indoor	Male	500V	Threaded	WS16J4TP1
4	plug	Crimp	5A	indoor	Male	400V	Threaded	WS16J4TP-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	plug	solder	5A	indoor	Male	500V	Threaded	WS16J4TQ1
4	plug	Crimp	5A	indoor	Male	400V	Threaded	WS16J4TQ-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZD1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZD-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZDB1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZDB-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZDF1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZDF-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZG1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZG-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZM1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZM-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZP1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZP-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZPB1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZPB-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZPF1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZPF-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZQ1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZQ-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZQB1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZQB-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZQF1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZQF-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZY1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZY-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZYB1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZYB-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZYF1
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZYF-3
4	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J4ZZ1-N
4	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS16J4ZZ-3N
5	plug	solder	5A	indoor	Male	500V	Threaded	WS16J5TD1
5	plug	solder	5A	indoor	Male	500V	Threaded	WS16J5TP1
5	plug	solder	5A	indoor	Male	500V	Threaded	WS16J5TQ1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZD1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZDB1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZDF1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZG1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZM1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZMQ1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZP1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZPB1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZPF1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZQ1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZQB1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZQF1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZY1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZYB1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZYF1
5	receptacle	solder	5A	indoor	Male	500V	Threaded	WS16J5ZZ1-N
7	plug	solder	5A	indoor	Male	400V	Threaded	WS16J7TD1
7	plug	solder	5A	indoor	Male	400V	Threaded	WS16J7TP1
7	plug	solder	5A	indoor	Male	400V	Threaded	WS16J7TQ1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZD1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZDB1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZDF1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZG1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZM1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZMQ1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZP1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZPB1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZPF1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZQ1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZQB1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZQF1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZY1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZYB1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZYF1
7	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J7ZZ1-N
9	plug	solder	5A	indoor	Male	400V	Threaded	WS16J9TD1
9	plug	solder	5A	indoor	Male	400V	Threaded	WS16J9TP1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	plug	solder	5A	indoor	Male	400V	Threaded	WS16J9TQ1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZD1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZDB1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZDF1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZG1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZM1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZMQ1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZP1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZPB1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZPF1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZQ1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZQB1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZQF1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZY1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZYB1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZYF1
9	receptacle	solder	5A	indoor	Male	400V	Threaded	WS16J9ZZ1-N
10	plug	solder	5A	indoor	Female	400V	Threaded	WS16K10TD1
10	plug	solder	5A	indoor	Female	400V	Threaded	WS16K10TP1
10	plug	solder	5A	indoor	Female	400V	Threaded	WS16K10TQ1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZD1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZDB1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZDF1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZG1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZM1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZMQ1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZP1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZPB1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZPF1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZQ1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZQB1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZQF1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZY1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZYB1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZYF1
10	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K10ZZ1-N

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K2BTD1
2B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K2BTP1
2B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K2BTQ1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZD1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZDB1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZG1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZM1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZMQ1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZP1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZPB1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZQ1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZQB1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZY1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZYB1
2B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K2BZZ1-N
2	plug	solder	10A	indoor	Female	500V	Threaded	WS16K2TD1
2	plug	Crimp	10A	indoor	Female	500V	Threaded	WS16K2TD-3
2	plug	solder	10A	indoor	Female	500V	Threaded	WS16K2TP1
2	plug	Crimp	10A	indoor	Female	500V	Threaded	WS16K2TP-3
2	plug	solder	10A	indoor	Female	500V	Threaded	WS16K2TQ1
2	plug	Crimp	10A	indoor	Female	500V	Threaded	WS16K2TQ-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZD1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZD-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZDB1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZDB-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZDF1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZDF-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZG1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZG-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZM1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZM-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZMQ1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZMQ-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZP1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZP-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZPB1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZPB-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZPF1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZPF-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZQ1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZQ-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZQB1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZQB-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZQF1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZQF-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZY1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZY-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZYP1
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZYP-3
2	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K2ZZ1-N
2	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K2ZZ-3N
3B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K3BTD1
3B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K3BTP1
3B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K3BTQ1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZD1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZDB1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZG1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZM1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZMQ1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZP1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZPB1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZQ1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZQB1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZY1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZYP1
3B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K3BZZ1-N
3	plug	solder	10A	indoor	Female	500V	Threaded	WS16K3TD1
3	plug	Crimp	10A	indoor	Female	500V	Threaded	WS16K3TD-3
3	plug	solder	10A	indoor	Female	500V	Threaded	WS16K3TP1
3	plug	Crimp	10A	indoor	Female	500V	Threaded	WS16K3TP-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	plug	solder	10A	indoor	Female	500V	Threaded	WS16K3TQ1
3	plug	Crimp	10A	indoor	Female	500V	Threaded	WS16K3TQ-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZD1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZD-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZDB1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZDB-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZDF1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZDF-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZG1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZG-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZM1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZM-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZMQ1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZMQ-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZP1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZP-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZPB1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZPB-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZPF1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZPF-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZQ1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZQ-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZQB1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZQB-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZQF1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZQF-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZY1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZY-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZYB1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZYB-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZYF1
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZYF-3
3	receptacle	solder	10A	indoor	Female	500V	Threaded	WS16K3ZZ1-N
3	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS16K3ZZ-3N
4B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K4BTD1
4B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K4BTP1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4B	plug	solder	15A	indoor	Female	500V	Threaded	WS16K4BTQ1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZD1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZDB1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZG1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZM1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZMQ1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZP1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZPB1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZQ1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZQB1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZY1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZYB1
4B	receptacle	solder	15A	indoor	Female	500V	Threaded	WS16K4BZZ1-N
4	plug	solder	5A	indoor	Female	500V	Threaded	WS16K4TD1
4	plug	Crimp	5A	indoor	Female	400V	Threaded	WS16K4TD-3
4	plug	solder	5A	indoor	Female	500V	Threaded	WS16K4TP1
4	plug	Crimp	5A	indoor	Female	400V	Threaded	WS16K4TP-3
4	plug	solder	5A	indoor	Female	500V	Threaded	WS16K4TQ1
4	plug	Crimp	5A	indoor	Female	400V	Threaded	WS16K4TQ-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZD1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZD-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZDB1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZDB-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZDF1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZDF-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZG1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZG-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZM1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZM-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZMQ1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZMQ-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZP1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZP-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZPB1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZPB-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZPF1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZPF-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZQ1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZQ-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZQB1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZQB-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZQF1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZQF-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZY1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZY-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZYB1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZYB-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZYF1
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZYF-3
4	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K4ZZ1-N
4	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS16K4ZZ-3N
5	plug	solder	5A	indoor	Female	500V	Threaded	WS16K5TD1
5	plug	solder	5A	indoor	Female	500V	Threaded	WS16K5TP1
5	plug	solder	5A	indoor	Female	500V	Threaded	WS16K5TQ1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZD1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZDB1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZDF1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZG1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZM1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZMQ1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZP1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZPB1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZPF1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZQ1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZQB1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZQF1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZY1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZYB1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZYF1
5	receptacle	solder	5A	indoor	Female	500V	Threaded	WS16K5ZZ1-N
7	plug	solder	5A	indoor	Female	400V	Threaded	WS16K7TD1
7	plug	solder	5A	indoor	Female	400V	Threaded	WS16K7TP1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
7	plug	solder	5A	indoor	Female	400V	Threaded	WS16K7TQ1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZD1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZDB1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZDF1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZG1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZM1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZMQ1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZP1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZPB1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZPF1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZQ1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZQB1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZQF1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZY1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7Zyb1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZyF1
7	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K7ZZ1-N
9	plug	solder	5A	indoor	Female	400V	Threaded	WS16K9TD1
9	plug	solder	5A	indoor	Female	400V	Threaded	WS16K9TP1
9	plug	solder	5A	indoor	Female	400V	Threaded	WS16K9TQ1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZD1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZDB1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZDF1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZG1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZM1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZMQ1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZP1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZPB1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZPF1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZQ1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZQB1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZQF1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZY1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9Zyb1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZyF1
9	receptacle	solder	5A	indoor	Female	400V	Threaded	WS16K9ZZ1-N