



# **Live Electronics**

*Make the Switch*

## **Weipu WS24 Series Attributes and Product Codes**



Live Electronics is dedicated to providing exceptional service and Emech components at a competitive price.

[View the WS24 Series here](#)

[Enquire about the WS24 Series here](#)

[View the Weipu range here](#)

**+44 (0)1522 244849**  
[Sales@liveelectronics.co.uk](mailto:Sales@liveelectronics.co.uk)

**Unit H, Hillcroft Business Park  
Whisby Road  
Lincoln  
LN6 3QT**

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
10	plug	solder	10A	indoor	Male	500V	Threaded	WS24J10TC1
10	plug	solder	10A	indoor	Male	500V	Threaded	WS24J10TD1
10	plug	solder	10A	indoor	Male	500V	Threaded	WS24J10TP1
10	plug	solder	10A	indoor	Male	500V	Threaded	WS24J10TQ1
10	plug	solder	10A	indoor	Male	500V	Threaded	WS24J10TR1
10	plug	solder	10A	indoor	Male	500V	Threaded	WS24J10TS1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZC1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZD1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZDB1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZDF1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZG1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZM1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZMQ1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZP1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZPB1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZPF1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZQ1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZQB1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZQF1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZR1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZS1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZY1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZYB1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZYF1
10	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J10ZZ1
11	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11TC1
11	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11TD1
11	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11TP1
11	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11TQ1
11	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11TR1
11	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11TS1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZC1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZD1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZDB1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZDF1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZG1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZM1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZMQ1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZP1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZPB1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZPF1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZQ1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZQB1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZQF1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZR1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZS1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZY1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZYB1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZYF1
11	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J11ZZ1
12B	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BTC1
12B	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BTD1
12B	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BTP1
12B	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BTQ1
12B	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BTR1
12B	plug	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BTS1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZC1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZD1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZDB1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZDF1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZG1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZM1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZP1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZPB1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZPF1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZQ1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZQB1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZQF1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZR1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZS1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZY1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZYB1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZYF1
12B	receptacle	solder	5A,30A	indoor	Male	500V	Threaded	WS24J12BZZ1
12	plug	solder	10A	indoor	Male	500V	Threaded	WS24J12TC1
12	plug	Crimp	5A	indoor	Male	400V	Threaded	WS24J12TC-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS24J12TD1
12	plug	Crimp	5A	indoor	Male	400V	Threaded	WS24J12TD-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS24J12TP1
12	plug	Crimp	5A	indoor	Male	400V	Threaded	WS24J12TP-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS24J12TQ1
12	plug	Crimp	5A	indoor	Male	400V	Threaded	WS24J12TQ-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS24J12TR1
12	plug	Crimp	5A	indoor	Male	400V	Threaded	WS24J12TR-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS24J12TS1
12	plug	Crimp	5A	indoor	Male	400V	Threaded	WS24J12TS-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZC1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZC-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZD1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZD-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZDB1
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZDF1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZDF-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZG1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZG-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZM1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZM-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZMQ1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZMQ-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZP1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZP-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZPB1
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZPF1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZPF-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZQ1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZQ-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZQB1
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZQF1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZQF-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZR1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZR-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZS1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZS-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZY1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZY-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZYB1
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZYF1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZYF-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS24J12ZZ1
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J12ZZ-3
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J14ZDB-3
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J14ZPB-3
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J14ZQB-3
12	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS24J14ZYB-3
19	plug	solder	5A	indoor	Male	400V	Threaded	WS24J19TC1
19	plug	solder	5A	indoor	Male	400V	Threaded	WS24J19TD1
19	plug	solder	5A	indoor	Male	400V	Threaded	WS24J19TP1
19	plug	solder	5A	indoor	Male	400V	Threaded	WS24J19TQ1
19	plug	solder	5A	indoor	Male	400V	Threaded	WS24J19TR1
19	plug	solder	5A	indoor	Male	400V	Threaded	WS24J19TS1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZC1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZD1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZDB1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZDF1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZG1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZM1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZMQ1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZP1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZPB1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZPF1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZQ1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZQB1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZQF1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZR1



NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZS1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZY1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZYB1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZYF1
19	receptacle	solder	5A	indoor	Male	400V	Threaded	WS24J19ZZ1
2	plug	solder	25A	indoor	Male	500V	Threaded	WS24J2TC1
2	plug	screw	25A	indoor	Male	500V	Threaded	WS24J2TC-2
2	plug	solder	25A	indoor	Male	500V	Threaded	WS24J2TD1
2	plug	screw	25A	indoor	Male	500V	Threaded	WS24J2TD-2
2	plug	solder	25A	indoor	Male	500V	Threaded	WS24J2TP1
2	plug	screw	25A	indoor	Male	500V	Threaded	WS24J2TP-2
2	plug	solder	25A	indoor	Male	500V	Threaded	WS24J2TQ1
2	plug	screw	25A	indoor	Male	500V	Threaded	WS24J2TQ-2
2	plug	solder	25A	indoor	Male	500V	Threaded	WS24J2TR1
2	plug	screw	25A	indoor	Male	500V	Threaded	WS24J2TR-2
2	plug	solder	25A	indoor	Male	500V	Threaded	WS24J2TS1
2	plug	screw	25A	indoor	Male	500V	Threaded	WS24J2TS-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZC1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZC-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZD1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZD-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZDB1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZDB-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZDF1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZDF-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZG1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZG-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZM1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZM-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZMQ1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZMQ-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZP1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZP-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZPB1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZPB-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZPF1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZPF-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZQ1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZQ-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZQB1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZQB-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZQF1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZQF-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZR1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZR-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZS1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZS-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZY1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZY-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZYB1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZYB-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZYF1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZYF-2
2	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J2ZZ1
2	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J2ZZ-2
3	plug	solder	25A	indoor	Male	500V	Threaded	WS24J3TC1
3	plug	screw	25A	indoor	Male	500V	Threaded	WS24J3TC-2
3	plug	solder	25A	indoor	Male	500V	Threaded	WS24J3TD1
3	plug	screw	25A	indoor	Male	500V	Threaded	WS24J3TD-2
3	plug	solder	25A	indoor	Male	500V	Threaded	WS24J3TP1
3	plug	screw	25A	indoor	Male	500V	Threaded	WS24J3TP-2
3	plug	solder	25A	indoor	Male	500V	Threaded	WS24J3TQ1
3	plug	screw	25A	indoor	Male	500V	Threaded	WS24J3TQ-2
3	plug	solder	25A	indoor	Male	500V	Threaded	WS24J3TR1
3	plug	screw	25A	indoor	Male	500V	Threaded	WS24J3TR-2
3	plug	solder	25A	indoor	Male	500V	Threaded	WS24J3TS1
3	plug	screw	25A	indoor	Male	500V	Threaded	WS24J3TS-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZC1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZC-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZD1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZD-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZDB1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZDB-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZDF1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZDF-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZG1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZG-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZM1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZM-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZMQ1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZMQ-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZP1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZP-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZPB1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZPB-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZPF1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZPF-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZQ1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZQ-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZQB1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZQB-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZQF1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZQF-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZR1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZR-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZS1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZS-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZY1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZY-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZYB1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZYB-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZYF1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZYF-2
3	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J3ZZ1
3	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J3ZZ-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4CTC1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4CTC-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4CTD1



NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4CTD-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4CTP1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4CTP-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4CTQ1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4CTQ-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4CTR1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4CTR-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4CTS1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4CTS-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZC1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZC-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZD1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZD-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZDF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZDF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZG1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZG-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZM1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZM-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZP1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZP-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZPF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZPF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZQ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZQ-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZQF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZQF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZR1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZR-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZS1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZS-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZY1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZY-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZYF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZYF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4CZZ1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4CZZ-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4TC1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4TC-2
4	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J4TC-3
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4TD1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4TD-2
4	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J4TD-3
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4TP1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4TP-2
4	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J4TP-3
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4TQ1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4TQ-2
4	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J4TQ-3
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4TR1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4TR-2
4	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J4TR-3
4	plug	solder	25A	indoor	Male	500V	Threaded	WS24J4TS1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS24J4TS-2
4	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J4TS-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZC1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZC-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZC-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZD1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZD-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZD-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZDB1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZDB-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZDB-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZDF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZDF-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZDF-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZG1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZG-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZG-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZM1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZM-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZM-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZMQ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZMQ-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZMQ-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZP1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZP-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZP-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZPB1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZPB-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZPB-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZPF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZPF-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZPF-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZQ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZQ-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZQ-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZQB1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZQB-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZQB-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZQF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZQF-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZQF-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZR1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZR-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZR-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZS1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZS-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZS-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZY1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZY-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZY-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZYP1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZYP-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZYP-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZYB1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZYB-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZYB-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZYF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZYF-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZYF-3
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS24J4ZZ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS24J4ZZ-2
4	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J4ZZ-3
5	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J5TC-3
5	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J5TD-3
5	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J5TP-3
5	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J5TQ-3
5	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J5TR-3
5	plug	Crimp	25A	indoor	Male	500V	Threaded	WS24J5TS-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZC-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZD-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZDB-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZDF-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZG-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZM-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZMQ-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZP-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZPB-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZPF-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZQ-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZQB-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZQF-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZR-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZS-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZY-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZYB-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZYF-3
5	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS24J5ZZ-3
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9TC1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9TC-2
9	plug	Crimp	10A	indoor	Male	500V	Threaded	WS24J9TC-3
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9TD1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9TD-2
9	plug	Crimp	10A	indoor	Male	500V	Threaded	WS24J9TD-3
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9TP1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9TP-2
9	plug	Crimp	10A	indoor	Male	500V	Threaded	WS24J9TP-3
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9TQ1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9TQ-2
9	plug	Crimp	10A	indoor	Male	500V	Threaded	WS24J9TQ-3
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9TR1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9TR-2
9	plug	Crimp	10A	indoor	Male	500V	Threaded	WS24J9TR-3
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9TS1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9TS-2
9	plug	Crimp	10A	indoor	Male	500V	Threaded	WS24J9TS-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZC1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZC-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZC-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZD1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZD-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZD-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZDB1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZDB-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZDB-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZDF1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZDF-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZDF-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZG1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZG-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZG-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZM1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZM-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZM-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZMQ1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZMQ-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZMQ-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZP1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZP-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZP-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZPB1



NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZPB-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZPB-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZPF1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZPF-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZPF-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZQ1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZQ-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZQ-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZQB1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZQB-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZQB-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZQF1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZQF-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZQF-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZR1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZR-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZR-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZS1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZS-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZS-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZY1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZY-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZY-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZYB1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZYB-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZYB-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZYF1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZYF-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZYF-3
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS24J9ZZ1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS24J9ZZ-2
9	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS24J9ZZ-3
10	plug	solder	10A	indoor	Female	500V	Threaded	WS24K10TC1
10	plug	solder	10A	indoor	Female	500V	Threaded	WS24K10TD1
10	plug	solder	10A	indoor	Female	500V	Threaded	WS24K10TP1
10	plug	solder	10A	indoor	Female	500V	Threaded	WS24K10TQ1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
10	plug	solder	10A	indoor	Female	500V	Threaded	WS24K10TR1
10	plug	solder	10A	indoor	Female	500V	Threaded	WS24K10TS1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZC1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZD1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZDB1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZDF1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZG1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZM1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZMQ1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZP1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZPB1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZPF1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZQ1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZQB1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZQF1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZR1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZS1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZY1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZYB1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZYF1
10	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K10ZZ1
11	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11TC1
11	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11TD1
11	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11TP1
11	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11TQ1
11	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11TR1
11	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11TS1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZC1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZD1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZDB1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZDF1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZG1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZM1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZMQ1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZP1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZPB1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZPF1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZQ1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZQB1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZQF1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZR1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZS1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZY1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZYB1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZYF1
11	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K11ZZ1
12B	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BTC1
12B	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BTD1
12B	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BTP1
12B	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BTQ1
12B	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BTR1
12B	plug	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BTS1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZC1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZD1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZDB1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZDF1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZG1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZM1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZMQ1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZP1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZPB1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZPF1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZQ1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZQB1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZQF1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZR1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZS1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZY1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZYB1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZYF1
12B	receptacle	solder	5A,30A	indoor	Female	500V	Threaded	WS24K12BZZ1
12	plug	solder	10A	indoor	Female	500V	Threaded	WS24K12TC1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
12	plug	Crimp	5A	indoor	Female	400V	Threaded	WS24K12TC-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS24K12TD1
12	plug	Crimp	5A	indoor	Female	400V	Threaded	WS24K12TD-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS24K12TP1
12	plug	Crimp	5A	indoor	Female	400V	Threaded	WS24K12TP-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS24K12TQ1
12	plug	Crimp	5A	indoor	Female	400V	Threaded	WS24K12TQ-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS24K12TR1
12	plug	Crimp	5A	indoor	Female	400V	Threaded	WS24K12TR-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS24K12TS1
12	plug	Crimp	5A	indoor	Female	400V	Threaded	WS24K12TS-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZC1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZC-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZD1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZD-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZDB1
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZDF1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZDF-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZG1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZG-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZM1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZM-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZMQ1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZMQ-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZP1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZP-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZPB1
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZPF1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZPF-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZQ1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZQ-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZQB1
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZQF1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZQF-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZR1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZR-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZS1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZS-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZY1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZY-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZYB1
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZYF1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZYF-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS24K12ZZ1
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K12ZZ-3
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K14ZDB-3
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K14ZPB-3
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K14ZQB-3
12	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS24K14ZYB-3
19	plug	solder	5A	indoor	Female	400V	Threaded	WS24K19TC1
19	plug	solder	5A	indoor	Female	400V	Threaded	WS24K19TD1
19	plug	solder	5A	indoor	Female	400V	Threaded	WS24K19TP1
19	plug	solder	5A	indoor	Female	400V	Threaded	WS24K19TQ1
19	plug	solder	5A	indoor	Female	400V	Threaded	WS24K19TR1
19	plug	solder	5A	indoor	Female	400V	Threaded	WS24K19TS1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZC1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZD1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZDB1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZDF1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZG1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZM1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZMQ1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZP1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZPB1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZPF1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZQ1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZQB1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZQF1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZR1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZS1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZY1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZYP1



NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZYF1
19	receptacle	solder	5A	indoor	Female	400V	Threaded	WS24K19ZZ1
2	plug	solder	25A	indoor	Female	500V	Threaded	WS24K2TC1
2	plug	screw	25A	indoor	Female	500V	Threaded	WS24K2TC-2
2	plug	solder	25A	indoor	Female	500V	Threaded	WS24K2TD1
2	plug	screw	25A	indoor	Female	500V	Threaded	WS24K2TD-2
2	plug	solder	25A	indoor	Female	500V	Threaded	WS24K2TP1
2	plug	screw	25A	indoor	Female	500V	Threaded	WS24K2TP-2
2	plug	solder	25A	indoor	Female	500V	Threaded	WS24K2TQ1
2	plug	screw	25A	indoor	Female	500V	Threaded	WS24K2TQ-2
2	plug	solder	25A	indoor	Female	500V	Threaded	WS24K2TR1
2	plug	screw	25A	indoor	Female	500V	Threaded	WS24K2TR-2
2	plug	solder	25A	indoor	Female	500V	Threaded	WS24K2TS1
2	plug	screw	25A	indoor	Female	500V	Threaded	WS24K2TS-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZC1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZC-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZD1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZD-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZDB1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZDB-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZDF1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZDF-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZG1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZG-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZM1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZM-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZMQ1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZMQ-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZP1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZP-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZPB1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZPB-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZPF1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZPF-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZQ1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZQ-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZQB1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZQB-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZQF1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZQF-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZR1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZR-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZS1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZS-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZY1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZY-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZYB1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZYB-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZYF1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZYF-2
2	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K2ZZ1
2	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K2ZZ-2
3	plug	solder	25A	indoor	Female	500V	Threaded	WS24K3TC1
3	plug	screw	25A	indoor	Female	500V	Threaded	WS24K3TC-2
3	plug	solder	25A	indoor	Female	500V	Threaded	WS24K3TD1
3	plug	screw	25A	indoor	Female	500V	Threaded	WS24K3TD-2
3	plug	solder	25A	indoor	Female	500V	Threaded	WS24K3TP1
3	plug	screw	25A	indoor	Female	500V	Threaded	WS24K3TP-2
3	plug	solder	25A	indoor	Female	500V	Threaded	WS24K3TQ1
3	plug	screw	25A	indoor	Female	500V	Threaded	WS24K3TQ-2
3	plug	solder	25A	indoor	Female	500V	Threaded	WS24K3TR1
3	plug	screw	25A	indoor	Female	500V	Threaded	WS24K3TR-2
3	plug	solder	25A	indoor	Female	500V	Threaded	WS24K3TS1
3	plug	screw	25A	indoor	Female	500V	Threaded	WS24K3TS-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZC1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZC-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZD1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZD-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZDB1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZDB-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZDF1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZDF-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZG1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZG-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZM1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZM-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZMQ1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZMQ-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZP1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZP-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZPB1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZPB-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZPF1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZPF-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZQ1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZQ-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZQB1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZQB-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZQF1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZQF-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZR1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZR-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZS1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZS-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZY1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZY-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZYB1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZYB-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZYF1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZYF-2
3	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K3ZZ1
3	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K3ZZ-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4CTC1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4CTC-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4CTD1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4CTD-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4CTP1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4CTP-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4CTQ1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4CTQ-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4CTR1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4CTR-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4CTS1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4CTS-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZC1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZC-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZD1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZD-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZDF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZDF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZG1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZG-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZM1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZM-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZP1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZP-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZPF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZPF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZQ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZQ-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZQF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZQF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZR1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZR-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZS1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZS-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZY1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZY-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZYF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZYF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4CZZ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4CZZ-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4TC1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4TC-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K4TC-3
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4TD1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4TD-2
4	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K4TD-3
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4TP1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4TP-2
4	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K4TP-3
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4TQ1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4TQ-2
4	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K4TQ-3
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4TR1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4TR-2
4	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K4TR-3
4	plug	solder	25A	indoor	Female	500V	Threaded	WS24K4TS1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS24K4TS-2
4	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K4TS-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZC1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZC-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZC-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZD1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZD-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZD-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZDB1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZDB-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZDB-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZDF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZDF-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZDF-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZG1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZG-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZG-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZM1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZM-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZM-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZMQ-1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZMQ-2



NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZMQ-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZP1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZP-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZP-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZPB1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZPB-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZPB-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZPF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZPF-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZPF-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZQ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZQ-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZQ-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZQB1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZQB-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZQB-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZQF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZQF-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZQF-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZR1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZR-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZR-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZS1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZS-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZS-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZY1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZY-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZY-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZYB1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZYB-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZYB-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZYF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZYF-2
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZYF-3
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS24K4ZZ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS24K4ZZ-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K4ZZ-3
5	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K5TC-3
5	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K5TD-3
5	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K5TP-3
5	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K5TQ-3
5	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K5TR-3
5	plug	Crimp	25A	indoor	Female	500V	Threaded	WS24K5TS-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZC-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZD-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZDB-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZDF-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZG-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZM-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZMQ-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZP-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZPB-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZPF-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZQ-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZQB-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZQF-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZR-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZS-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZY-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZYB-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZYF-3
5	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS24K5ZZ-3
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9TC1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9TC-2
9	plug	Crimp	10A	indoor	Female	500V	Threaded	WS24K9TC-3
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9TD1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9TD-2
9	plug	Crimp	10A	indoor	Female	500V	Threaded	WS24K9TD-3
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9TP1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9TP-2
9	plug	Crimp	10A	indoor	Female	500V	Threaded	WS24K9TP-3
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9TQ1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9TQ-2
9	plug	Crimp	10A	indoor	Female	500V	Threaded	WS24K9TQ-3
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9TR1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9TR-2
9	plug	Crimp	10A	indoor	Female	500V	Threaded	WS24K9TR-3
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9TS1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9TS-2
9	plug	Crimp	10A	indoor	Female	500V	Threaded	WS24K9TS-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZC1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZC-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZC-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZD1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZD-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZD-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZDB1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZDB-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZDB-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZDF1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZDF-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZDF-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZG1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZG-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZG-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZM1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZM-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZM-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZMQ1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZMQ-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZMQ-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZP1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZP-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZP-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZPB1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZPB-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZPB-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZPF1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZPF-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZPF-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZQ1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZQ-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZQ-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZQB1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZQB-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZQB-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZQF1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZQF-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZQF-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZR1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZR-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZR-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZS1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZS-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZS-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZY1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZY-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZY-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZYB1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZYB-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZYB-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZYF1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZYF-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZYF-3
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS24K9ZZ1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS24K9ZZ-2
9	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS24K9ZZ-3