

Weipu WS28 Series Attributes and Product Codes



Live Electronics is dedicated to providing exceptional service and Emech components at a competitive price.

[View the WS28 Series here](#)

[Enquire about the WS28 Series here](#)

[View the Weipu range here](#)

+44 (0)1522 244849
Sales@liveelectronics.co.uk

**Unit H, Hillcroft Business Park
Whisby Road
Lincoln
LN6 3QT**

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS28BK9TC1
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS28BK9TR1
10B	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J10BZDB1
10B	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J10BZMQ1
10B	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J10BZPB1
10B	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J10BZQB1
10B	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J10BZYB1
10	plug	solder	25A	indoor	Male	500V	Threaded	WS28J10TC1
10	plug	screw	25A	indoor	Male	500V	Threaded	WS28J10TC-2
10	plug	solder	25A	indoor	Male	500V	Threaded	WS28J10TD1
10	plug	screw	25A	indoor	Male	500V	Threaded	WS28J10TD-2
10	plug	solder	25A	indoor	Male	500V	Threaded	WS28J10TP1
10	plug	screw	25A	indoor	Male	500V	Threaded	WS28J10TP-2
10	plug	solder	25A	indoor	Male	500V	Threaded	WS28J10TQ1
10	plug	screw	25A	indoor	Male	500V	Threaded	WS28J10TQ-2
10	plug	solder	25A	indoor	Male	500V	Threaded	WS28J10TR1
10	plug	screw	25A	indoor	Male	500V	Threaded	WS28J10TR-2
10	plug	solder	25A	indoor	Male	500V	Threaded	WS28J10TS1
10	plug	screw	25A	indoor	Male	500V	Threaded	WS28J10TS-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZC1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZC-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZD1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZD-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZDB1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZDB-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZDF1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZDF-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZG1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZG-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZM1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZM-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZMQ1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZMQ-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZP1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZP-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZPB1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZPB-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZPF1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZPF-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZQ1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZQ-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZQB1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZQB-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZQF1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZQF-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZR1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZR-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZS1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZS-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZY1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZY-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10Zyb1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10Zyb-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZyF1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZyF-2
10	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J10ZZ1
10	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J10ZZ-2
12	plug	solder	10A	indoor	Male	500V	Threaded	WS28J12TC1
12	plug	Crimp	10A	indoor	Male	500V	Threaded	WS28J12TC-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS28J12TD1
12	plug	Crimp	10A	indoor	Male	500V	Threaded	WS28J12TD-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS28J12TP1
12	plug	Crimp	10A	indoor	Male	500V	Threaded	WS28J12TP-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS28J12TQ1
12	plug	Crimp	10A	indoor	Male	500V	Threaded	WS28J12TQ-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS28J12TR1
12	plug	Crimp	10A	indoor	Male	500V	Threaded	WS28J12TR-3
12	plug	solder	10A	indoor	Male	500V	Threaded	WS28J12TS1
12	plug	Crimp	10A	indoor	Male	500V	Threaded	WS28J12TS-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZC1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZC-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZD1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZD-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZDB1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZDB-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZDF1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZDF-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZG1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZG-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZM1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZM-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZMQ1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZMQ-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZP1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZP-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZPB1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZPB-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZPF1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZPF-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZQ1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZQ-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZQB1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZQB-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZQF1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZQF-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZR1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZR-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZS1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZS-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZY1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZY-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZYB1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZYB-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZYF1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZYF-3
12	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J12ZZ1
12	receptacle	Crimp	10A	indoor	Male	500V	Threaded	WS28J12ZZ-3
15	plug	Crimp	5A	indoor	Male	400V	Threaded	WS28J15TC-3
15	plug	Crimp	5A	indoor	Male	400V	Threaded	WS28J15TD-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
15	plug	Crimp	5A	indoor	Male	400V	Threaded	WS28J15TP-3
15	plug	Crimp	5A	indoor	Male	400V	Threaded	WS28J15TQ-3
15	plug	Crimp	5A	indoor	Male	400V	Threaded	WS28J15TR-3
15	plug	Crimp	5A	indoor	Male	400V	Threaded	WS28J15TS-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZC-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZD-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZDB-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZDF-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZG-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZM-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZMQ-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZP-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZPB-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZPF-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZQ-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZQB-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZQF-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZR-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZS-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZY-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZYB-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZYF-3
15	receptacle	Crimp	5A	indoor	Male	400V	Threaded	WS28J15ZZ-3
16	plug	solder	10A	indoor	Male	500V	Threaded	WS28J16TC1
16	plug	solder	10A	indoor	Male	500V	Threaded	WS28J16TD1
16	plug	solder	10A	indoor	Male	500V	Threaded	WS28J16TP1
16	plug	solder	10A	indoor	Male	500V	Threaded	WS28J16TQ1
16	plug	solder	10A	indoor	Male	500V	Threaded	WS28J16TR1
16	plug	solder	10A	indoor	Male	500V	Threaded	WS28J16TS1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZC1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZD1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZDB1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZDF1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZG1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZM1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZMQ1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZP1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZPB1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZPF1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZQ1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZQB1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZQF1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZR1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZS1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZY1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZYB1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZYF1
16	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J16ZZ1
17	plug	solder	10A	indoor	Male	500V	Threaded	WS28J17TC1
17	plug	solder	10A	indoor	Male	500V	Threaded	WS28J17TD1
17	plug	solder	10A	indoor	Male	500V	Threaded	WS28J17TP1
17	plug	solder	10A	indoor	Male	500V	Threaded	WS28J17TQ1
17	plug	solder	10A	indoor	Male	500V	Threaded	WS28J17TR1
17	plug	solder	10A	indoor	Male	500V	Threaded	WS28J17TS1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZC1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZD1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZDB1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZDF1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZG1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZM1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZMQ1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZP1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZPB1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZPF1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZQ1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZQB1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZQF1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZR1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZS1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZY1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZYB1
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZYF1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
17	receptacle	solder	10A	indoor	Male	500V	Threaded	WS28J17ZZ1
19	plug	Crimp	5A	indoor	Male	500V	Threaded	WS28J19TC-3
19	plug	Crimp	5A	indoor	Male	500V	Threaded	WS28J19TD-3
19	plug	Crimp	5A	indoor	Male	500V	Threaded	WS28J19TP-3
19	plug	Crimp	5A	indoor	Male	500V	Threaded	WS28J19TQ-3
19	plug	Crimp	5A	indoor	Male	500V	Threaded	WS28J19TR-3
19	plug	Crimp	5A	indoor	Male	500V	Threaded	WS28J19TS-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZC-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZD-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZDB-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZDF-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZG-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZM-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZMQ-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZP-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZPB-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZPF-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZQ-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZQB-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZQF-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZR-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZS-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZY-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZYB-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZYF-3
19	receptacle	Crimp	5A	indoor	Male	500V	Threaded	WS28J19ZZ-3
20	plug	solder	5A	indoor	Male	400V	Threaded	WS28J20TC1
20	plug	solder	5A	indoor	Male	400V	Threaded	WS28J20TD1
20	plug	solder	5A	indoor	Male	400V	Threaded	WS28J20TP1
20	plug	solder	5A	indoor	Male	400V	Threaded	WS28J20TQ1
20	plug	solder	5A	indoor	Male	400V	Threaded	WS28J20TR1
20	plug	solder	5A	indoor	Male	400V	Threaded	WS28J20TS1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZC1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZD1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZDB1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZDF1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZG1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZM1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZMQ1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZP1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZPB1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZPF1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZQ1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZQB1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZQF1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZR1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZS1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZY1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZYB1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZYF1
20	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J20ZZ1
24	plug	solder	5A	indoor	Male	400V	Threaded	WS28J24TC1
24	plug	solder	5A	indoor	Male	400V	Threaded	WS28J24TD1
24	plug	solder	5A	indoor	Male	400V	Threaded	WS28J24TP1
24	plug	solder	5A	indoor	Male	400V	Threaded	WS28J24TQ1
24	plug	solder	5A	indoor	Male	400V	Threaded	WS28J24TR1
24	plug	solder	5A	indoor	Male	400V	Threaded	WS28J24TS1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZC1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZD1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZDB1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZDF1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZG1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZM1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZMQ1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZP1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZPB1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZPF1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZQ1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZQB1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZQF1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZR1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZS1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZY1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZYP1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZYP1
24	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J24ZZ1
26	plug	solder	5A	indoor	Male	400V	Threaded	WS28J26TC1
26	plug	solder	5A	indoor	Male	400V	Threaded	WS28J26TD1
26	plug	solder	5A	indoor	Male	400V	Threaded	WS28J26TP1
26	plug	solder	5A	indoor	Male	400V	Threaded	WS28J26TQ1
26	plug	solder	5A	indoor	Male	400V	Threaded	WS28J26TR1
26	plug	solder	5A	indoor	Male	400V	Threaded	WS28J26TS1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZC1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZD1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZDB1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZDF1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZG1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZM1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZMQ1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZP1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZPB1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZPF1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZQ1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZQB1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZQF1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZR1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZS1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZY1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZYP1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZYP1
26	receptacle	solder	5A	indoor	Male	400V	Threaded	WS28J26ZZ1
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2CTC1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2CTC-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2CTD1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2CTD-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2CTP1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2CTP-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2CTQ1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2CTQ-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2CTR1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2CTR-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2CTS1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2CTS-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZC1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZC-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZD1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZD-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZDF1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZDF-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZG1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZG-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZM1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZM-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZP1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZP-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZPF1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZPF-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZQ1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZQ-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZQF1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZQF-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZR1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZR-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZS1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZS-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZY1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZY-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZYF1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZYF-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2CZZ1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2CZZ-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2TC1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2TC-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2TD1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2TD-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2TP1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2TP-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2TQ1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2TQ-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2TR1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2TR-2
2	plug	solder	50A	indoor	Male	500V	Threaded	WS28J2TS1
2	plug	screw	50A	indoor	Male	500V	Threaded	WS28J2TS-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZC1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZC-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZD1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZD-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZDB1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZDB-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZDF1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZDF-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZG1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZG-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZM1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZM-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZMQ1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZMQ-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZP1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZP-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZPB1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZPB-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZPF1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZPF-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZQ1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZQ-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZQB1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZQB-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZQF1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZQF-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZR1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZR-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZS1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZS-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZY1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZY-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZYB1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZYB-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZYF1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZYF-2
2	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J2ZZ1
2	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J2ZZ-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3CTC1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3CTC-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3CTD1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3CTD-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3CTP1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3CTP-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3CTQ1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3CTQ-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3CTR1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3CTR-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3CTS1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3CTS-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZC1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZC-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZD1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZD-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZDF1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZDF-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZG1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZG-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZM1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZM-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZP1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZP-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZPF1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZPF-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZQ1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZQ-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZQF1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZQF-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZR1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZR-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZS1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZS-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZY1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZY-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZYF1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZYF-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3CZZ1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3CZZ-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3TC1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3TC-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3TD1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3TD-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3TP1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3TP-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3TQ1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3TQ-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3TR1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3TR-2
3	plug	solder	50A	indoor	Male	500V	Threaded	WS28J3TS1
3	plug	screw	50A	indoor	Male	500V	Threaded	WS28J3TS-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZC1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZC-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZD1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZD-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZDB1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZDB-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZDF1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZDF-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZG1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZG-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZM1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZM-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZMQ1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZMQ-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZP1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZP-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZPB1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZPB-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZPF1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZPF-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZQ1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZQ-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZQB1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZQB-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZQF1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZQF-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZR1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZR-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZS1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZS-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZY1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZY-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZYB1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZYB-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZYF1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZYF-2
3	receptacle	solder	50A	indoor	Male	500V	Threaded	WS28J3ZZ1
3	receptacle	screw	50A	indoor	Male	500V	Threaded	WS28J3ZZ-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4CTC1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4CTC-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4CTD1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4CTD-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4CTP1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4CTP-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4CTQ1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4CTQ-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4CTR1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4CTR-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4CTS1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4CTS-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZC1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZC-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZD1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZD-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZDF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZDF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZG1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZG-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZM1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZM-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZP1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZP-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZPF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZPF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZQ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZQ-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZQF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZQF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZR1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZR-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZS1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZS-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZY1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZY-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZYF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZYF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4CZZ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4CZZ-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4TC1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4TC-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4TD1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4TD-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4TP1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4TP-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4TQ1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4TQ-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4TR1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4TR-2
4	plug	solder	25A	indoor	Male	500V	Threaded	WS28J4TS1
4	plug	screw	25A	indoor	Male	500V	Threaded	WS28J4TS-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZC1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZC-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZD1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZD-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZDB1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZDB-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZDF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZDF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZG1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZG-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZM1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZM-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZMQ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZMQ-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZP1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZP-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZPB1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZPB-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZPF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZPF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZQ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZQ-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZQB1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZQB-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZQF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZQF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZR1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZR-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZS1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZS-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZY1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZY-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZYB1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZYB-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZYF1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZYF-2
4	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J4ZZ1
4	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J4ZZ-2
7	plug	solder	25A	indoor	Male	500V	Threaded	WS28J7TC1
7	plug	screw	25A	indoor	Male	500V	Threaded	WS28J7TC-2
7	plug	Crimp	25A	indoor	Male	500V	Threaded	WS28J7TC-3
7	plug	solder	25A	indoor	Male	500V	Threaded	WS28J7TD1
7	plug	screw	25A	indoor	Male	500V	Threaded	WS28J7TD-2
7	plug	Crimp	25A	indoor	Male	500V	Threaded	WS28J7TD-3
7	plug	solder	25A	indoor	Male	500V	Threaded	WS28J7TP1
7	plug	screw	25A	indoor	Male	500V	Threaded	WS28J7TP-2
7	plug	Crimp	25A	indoor	Male	500V	Threaded	WS28J7TP-3
7	plug	solder	25A	indoor	Male	500V	Threaded	WS28J7TQ1
7	plug	screw	25A	indoor	Male	500V	Threaded	WS28J7TQ-2
7	plug	Crimp	25A	indoor	Male	500V	Threaded	WS28J7TQ-3
7	plug	solder	25A	indoor	Male	500V	Threaded	WS28J7TR1
7	plug	screw	25A	indoor	Male	500V	Threaded	WS28J7TR-2
7	plug	Crimp	25A	indoor	Male	500V	Threaded	WS28J7TR-3
7	plug	solder	25A	indoor	Male	500V	Threaded	WS28J7TS1
7	plug	screw	25A	indoor	Male	500V	Threaded	WS28J7TS-2
7	plug	Crimp	25A	indoor	Male	500V	Threaded	WS28J7TS-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZC1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZC-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZC-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZD1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZD-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZD-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZDB1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZDB-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZDB-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZDF1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZDF-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZDF-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZG1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZG-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZG-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZM1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZM-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZM-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZMQ1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZMQ-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZMQ-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZP1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZP-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZP-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZPB1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZPB-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZPB-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZPF1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZPF-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZPF-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZQ1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZQ-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZQ-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZQB1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZQB-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZQB-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZQF1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZQF-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZQF-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZR1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZR-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZR-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZS1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZS-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZS-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZY1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZY-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZY-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZYB1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZYB-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZYB-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZYF1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZYF-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZYF-3
7	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J7ZZ1
7	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J7ZZ-2
7	receptacle	Crimp	25A	indoor	Male	500V	Threaded	WS28J7ZZ-3
8B	plug	solder		indoor	Male	500V	Threaded	WS28J8BTC1
8B	plug	solder		indoor	Male	500V	Threaded	WS28J8BTD1
8B	plug	solder		indoor	Male	500V	Threaded	WS28J8BTP1
8B	plug	solder		indoor	Male	500V	Threaded	WS28J8BTQ1
8B	plug	solder		indoor	Male	500V	Threaded	WS28J8BTR1
8B	plug	solder		indoor	Male	500V	Threaded	WS28J8BTS1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZC1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZD1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZDB1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZG1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZM1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZP1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZPB1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZQ1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZQB1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZR1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZS1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZY1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZYB1
8B	receptacle	solder		indoor	Male	500V	Threaded	WS28J8BZZ1
8	plug	solder	25A	indoor	Male	500V	Threaded	WS28J8TC1
8	plug	screw	25A	indoor	Male	500V	Threaded	WS28J8TC-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
8	plug	solder	25A	indoor	Male	500V	Threaded	WS28J8TD1
8	plug	screw	25A	indoor	Male	500V	Threaded	WS28J8TD-2
8	plug	solder	25A	indoor	Male	500V	Threaded	WS28J8TP1
8	plug	screw	25A	indoor	Male	500V	Threaded	WS28J8TP-2
8	plug	solder	25A	indoor	Male	500V	Threaded	WS28J8TQ1
8	plug	screw	25A	indoor	Male	500V	Threaded	WS28J8TQ-2
8	plug	solder	25A	indoor	Male	500V	Threaded	WS28J8TR1
8	plug	screw	25A	indoor	Male	500V	Threaded	WS28J8TR-2
8	plug	solder	25A	indoor	Male	500V	Threaded	WS28J8TS1
8	plug	screw	25A	indoor	Male	500V	Threaded	WS28J8TS-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZC1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZC-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZD1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZD-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZDB1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZDB-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZDF1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZDF-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZG1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZG-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZM1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZM-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZMQ1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZMQ-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZP1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZP-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZPB1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZPB-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZPF1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZPF-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZQ1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZQ-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZQB1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZQB-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZQF1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZQF-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZR1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZR-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZS1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZS-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZY1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZY-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZYB1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZYB-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZYF1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZYF-2
8	receptacle	solder	25A	indoor	Male	500V	Threaded	WS28J8ZZ1
8	receptacle	screw	25A	indoor	Male	500V	Threaded	WS28J8ZZ-2
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9TC1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9TC-2
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9TD1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9TD-2
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9TP1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9TP-2
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9TQ1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9TQ-2
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9TR1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9TR-2
9	plug	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9TS1
9	plug	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9TS-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZC1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZC-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZD1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZD-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZDB1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZDB-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZDF1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZDF-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZG1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZG-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZM1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZM-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZMQ1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZMQ-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZP1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZP-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZPB1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZPB-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZPF1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZPF-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZQ1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZQ-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZQB1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZQB-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZQF1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZQF-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZR1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZR-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZS1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZS-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZY1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZY-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZYB1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZYB-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZYF1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZYF-2
9	receptacle	solder	5A,25A	indoor	Male	500V	Threaded	WS28J9ZZ1
9	receptacle	screw	5A,25A	indoor	Male	500V	Threaded	WS28J9ZZ-2
10B	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K10BZDB1
10B	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K10BZMQ1
10B	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K10BZPB1
10B	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K10BZQB1
10B	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K10BZYB1
10	plug	solder	25A	indoor	Female	500V	Threaded	WS28K10TC1
10	plug	screw	25A	indoor	Female	500V	Threaded	WS28K10TC-2
10	plug	solder	25A	indoor	Female	500V	Threaded	WS28K10TD1
10	plug	screw	25A	indoor	Female	500V	Threaded	WS28K10TD-2
10	plug	solder	25A	indoor	Female	500V	Threaded	WS28K10TP1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
10	plug	screw	25A	indoor	Female	500V	Threaded	WS28K10TP-2
10	plug	solder	25A	indoor	Female	500V	Threaded	WS28K10TQ1
10	plug	screw	25A	indoor	Female	500V	Threaded	WS28K10TQ-2
10	plug	solder	25A	indoor	Female	500V	Threaded	WS28K10TR1
10	plug	screw	25A	indoor	Female	500V	Threaded	WS28K10TR-2
10	plug	solder	25A	indoor	Female	500V	Threaded	WS28K10TS1
10	plug	screw	25A	indoor	Female	500V	Threaded	WS28K10TS-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZC1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZC-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZD1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZD-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZDB1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZDB-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZDF1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZDF-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZG1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZG-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZM1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZM-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZMQ1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZMQ-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZP1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZP-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZPB1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZPB-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZPF1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZPF-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZQ1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZQ-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZQB1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZQB-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZQF1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZQF-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZR1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZR-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZS1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZS-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZY1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZY-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZYB1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZYB-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZYF1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZYF-2
10	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K10ZZ1
10	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K10ZZ-2
12	plug	solder	10A	indoor	Female	500V	Threaded	WS28K12TC1
12	plug	Crimp	10A	indoor	Female	500V	Threaded	WS28K12TC-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS28K12TD1
12	plug	Crimp	10A	indoor	Female	500V	Threaded	WS28K12TD-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS28K12TP1
12	plug	Crimp	10A	indoor	Female	500V	Threaded	WS28K12TP-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS28K12TQ1
12	plug	Crimp	10A	indoor	Female	500V	Threaded	WS28K12TQ-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS28K12TR1
12	plug	Crimp	10A	indoor	Female	500V	Threaded	WS28K12TR-3
12	plug	solder	10A	indoor	Female	500V	Threaded	WS28K12TS1
12	plug	Crimp	10A	indoor	Female	500V	Threaded	WS28K12TS-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZC1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZC-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZD1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZD-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZDB1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZDB-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZDF1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZDF-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZG1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZG-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZM1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZM-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZMQ1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZMQ-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZP1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZP-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZPB1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZPB-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZPF1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZPF-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZQ1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZQ-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZQB1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZQB-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZQF1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZQF-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZR1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZR-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZS1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZS-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZY1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZY-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZYB1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZYB-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZYF1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZYF-3
12	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K12ZZ1
12	receptacle	Crimp	10A	indoor	Female	500V	Threaded	WS28K12ZZ-3
15	plug	Crimp	5A	indoor	Female	400V	Threaded	WS28K15TC-3
15	plug	Crimp	5A	indoor	Female	400V	Threaded	WS28K15TD-3
15	plug	Crimp	5A	indoor	Female	400V	Threaded	WS28K15TP-3
15	plug	Crimp	5A	indoor	Female	400V	Threaded	WS28K15TQ-3
15	plug	Crimp	5A	indoor	Female	400V	Threaded	WS28K15TR-3
15	plug	Crimp	5A	indoor	Female	400V	Threaded	WS28K15TS-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZC-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZD-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZDB-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZDF-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZG-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZM-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZMQ-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZP-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZPB-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZPF-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZQ-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZQB-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZQF-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZR-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZS-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZY-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZYB-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZYF-3
15	receptacle	Crimp	5A	indoor	Female	400V	Threaded	WS28K15ZZ-3
16	plug	solder	10A	indoor	Female	500V	Threaded	WS28K16TC1
16	plug	solder	10A	indoor	Female	500V	Threaded	WS28K16TD1
16	plug	solder	10A	indoor	Female	500V	Threaded	WS28K16TP1
16	plug	solder	10A	indoor	Female	500V	Threaded	WS28K16TQ1
16	plug	solder	10A	indoor	Female	500V	Threaded	WS28K16TR1
16	plug	solder	10A	indoor	Female	500V	Threaded	WS28K16TS1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZC1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZD1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZDB1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZDF1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZG1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZM1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZMQ1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZP1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZPB1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZPF1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZQ1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZQB1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZQF1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZR1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZS1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZY1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZYB1
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZYF1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
16	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K16ZZ1
17	plug	solder	10A	indoor	Female	500V	Threaded	WS28K17TC1
17	plug	solder	10A	indoor	Female	500V	Threaded	WS28K17TD1
17	plug	solder	10A	indoor	Female	500V	Threaded	WS28K17TP1
17	plug	solder	10A	indoor	Female	500V	Threaded	WS28K17TQ1
17	plug	solder	10A	indoor	Female	500V	Threaded	WS28K17TR1
17	plug	solder	10A	indoor	Female	500V	Threaded	WS28K17TS1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZC1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZD1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZDB1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZDF1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZG1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZM1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZMQ1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZP1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZPB1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZPF1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZQ1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZQB1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZQF1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZR1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZS1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZY1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZYP1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZZF1
17	receptacle	solder	10A	indoor	Female	500V	Threaded	WS28K17ZZ1
19	plug	Crimp	5A	indoor	Female	500V	Threaded	WS28K19TC-3
19	plug	Crimp	5A	indoor	Female	500V	Threaded	WS28K19TD-3
19	plug	Crimp	5A	indoor	Female	500V	Threaded	WS28K19TP-3
19	plug	Crimp	5A	indoor	Female	500V	Threaded	WS28K19TQ-3
19	plug	Crimp	5A	indoor	Female	500V	Threaded	WS28K19TR-3
19	plug	Crimp	5A	indoor	Female	500V	Threaded	WS28K19TS-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZC-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZD-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZDB-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZDF-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZG-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZM-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZMQ-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZP-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZPB-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZPF-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZQ-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZQB-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZQF-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZR-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZS-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZY-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZYB-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZYF-3
19	receptacle	Crimp	5A	indoor	Female	500V	Threaded	WS28K19ZZ-3
20	plug	solder	5A	indoor	Female	400V	Threaded	WS28K20TC1
20	plug	solder	5A	indoor	Female	400V	Threaded	WS28K20TD1
20	plug	solder	5A	indoor	Female	400V	Threaded	WS28K20TP1
20	plug	solder	5A	indoor	Female	400V	Threaded	WS28K20TQ1
20	plug	solder	5A	indoor	Female	400V	Threaded	WS28K20TR1
20	plug	solder	5A	indoor	Female	400V	Threaded	WS28K20TS1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZC1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZD1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZDB1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZDF1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZG1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZM1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZMQ1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZP1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZPB1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZPF1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZQ1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZQB1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZQF1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZR1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZS1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZY1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZYB1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZYF1
20	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K20ZZ1
24	plug	solder	5A	indoor	Female	400V	Threaded	WS28K24TC1
24	plug	solder	5A	indoor	Female	400V	Threaded	WS28K24TD1
24	plug	solder	5A	indoor	Female	400V	Threaded	WS28K24TP1
24	plug	solder	5A	indoor	Female	400V	Threaded	WS28K24TQ1
24	plug	solder	5A	indoor	Female	400V	Threaded	WS28K24TR1
24	plug	solder	5A	indoor	Female	400V	Threaded	WS28K24TS1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZC1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZD1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZDB1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZDF1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZG1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZM1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZMQ1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZP1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZPB1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZPF1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZQ1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZQB1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZQF1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZR1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZS1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZY1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZYB1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZYF1
24	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K24ZZ1
26	plug	solder	5A	indoor	Female	400V	Threaded	WS28K26TC1
26	plug	solder	5A	indoor	Female	400V	Threaded	WS28K26TD1
26	plug	solder	5A	indoor	Female	400V	Threaded	WS28K26TP1
26	plug	solder	5A	indoor	Female	400V	Threaded	WS28K26TQ1
26	plug	solder	5A	indoor	Female	400V	Threaded	WS28K26TR1
26	plug	solder	5A	indoor	Female	400V	Threaded	WS28K26TS1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZC1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZD1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZDB1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZDF1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZG1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZM1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZMQ1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZP1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZPB1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZPF1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZQ1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZQB1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZQF1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZR1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZS1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZY1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZYP1
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZYP2
26	receptacle	solder	5A	indoor	Female	400V	Threaded	WS28K26ZZ1
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2CTC1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2CTC-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2CTD1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2CTD-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2CTP1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2CTP-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2CTQ1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2CTQ-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2CTR1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2CTR-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2CTS1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2CTS-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZC1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZC-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZD1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZD-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZDF1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZDF-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZG1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZG-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZM1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZM-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZP1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZP-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZPF1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZPF-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZQ1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZQ-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZQF1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZQF-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZR1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZR-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZS1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZS-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZY1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZY-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZYF1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZYF-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2CZZ1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2CZZ-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2TC1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2TC-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2TD1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2TD-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2TP1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2TP-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2TQ1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2TQ-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2TR1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2TR-2
2	plug	solder	50A	indoor	Female	500V	Threaded	WS28K2TS1
2	plug	screw	50A	indoor	Female	500V	Threaded	WS28K2TS-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZC1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZC-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZD1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZD-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZDB1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZDB-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZDF1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZDF-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZG1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZG-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZM1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZM-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZMQ1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZMQ-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZP1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZP-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZPB1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZPB-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZPF1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZPF-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZQ1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZQ-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZQB1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZQB-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZQF1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZQF-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZR1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZR-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZS1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZS-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZY1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZY-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZYB1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZYB-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZYF1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZYF-2
2	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K2ZZ1
2	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K2ZZ-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3CTC1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3CTC-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3CTD1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3CTD-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3CTP1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3CTP-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3CTQ1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3CTQ-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3CTR1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3CTR-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3CTS1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3CTS-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZC1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZC-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZD1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZD-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZDF1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZDF-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZG1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZG-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZM1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZM-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZP1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZP-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZPF1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZPF-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZQ1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZQ-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZQF1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZQF-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZR1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZR-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZS1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZS-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZY1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZY-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZYF1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZYF-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3CZZ1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3CZZ-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3TC1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3TC-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3TD1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3TD-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3TP1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3TP-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3TQ1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3TQ-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3TR1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3TR-2
3	plug	solder	50A	indoor	Female	500V	Threaded	WS28K3TS1
3	plug	screw	50A	indoor	Female	500V	Threaded	WS28K3TS-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZC1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZC-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZD1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZD-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZDB1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZDB-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZDF1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZDF-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZG1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZG-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZM1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZM-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZMQ1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZMQ-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZP1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZP-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZPB1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZPB-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZPF1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZPF-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZQ1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZQ-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZQB1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZQB-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZQF1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZQF-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZR1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZR-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZS1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZS-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZY1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZY-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZYB1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZYB-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZYF1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZYF-2
3	receptacle	solder	50A	indoor	Female	500V	Threaded	WS28K3ZZ1
3	receptacle	screw	50A	indoor	Female	500V	Threaded	WS28K3ZZ-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4CTC1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4CTC-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4CTD1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4CTD-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4CTP1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4CTP-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4CTQ1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4CTQ-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4CTR1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4CTR-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4CTS1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4CTS-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZC1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZC-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZD1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZD-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZDF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZDF-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZG1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZG-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZM1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZM-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZP1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZP-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZPF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZPF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZQ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZQ-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZQF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZQF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZR1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZR-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZS1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZS-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZY1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZY-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZYF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZYF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4CZZ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4CZZ-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4TC1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4TC-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4TD1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4TD-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4TP1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4TP-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4TQ1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4TQ-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4TR1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4TR-2
4	plug	solder	25A	indoor	Female	500V	Threaded	WS28K4TS1
4	plug	screw	25A	indoor	Female	500V	Threaded	WS28K4TS-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZC1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZC-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZD1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZD-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZDB1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZDB-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZDF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZDF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZG1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZG-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZM1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZM-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZMQ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZMQ-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZP1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZP-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZPB1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZPB-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZPF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZPF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZQ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZQ-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZQB1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZQB-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZQF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZQF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZR1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZR-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZS1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZS-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZY1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZY-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZYB1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZYB-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZYF1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZYF-2
4	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K4ZZ1
4	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K4ZZ-2

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
7	plug	solder	25A	indoor	Female	500V	Threaded	WS28K7TC1
7	plug	screw	25A	indoor	Female	500V	Threaded	WS28K7TC-2
7	plug	Crimp	25A	indoor	Female	500V	Threaded	WS28K7TC-3
7	plug	solder	25A	indoor	Female	500V	Threaded	WS28K7TD1
7	plug	screw	25A	indoor	Female	500V	Threaded	WS28K7TD-2
7	plug	Crimp	25A	indoor	Female	500V	Threaded	WS28K7TD-3
7	plug	solder	25A	indoor	Female	500V	Threaded	WS28K7TP1
7	plug	screw	25A	indoor	Female	500V	Threaded	WS28K7TP-2
7	plug	Crimp	25A	indoor	Female	500V	Threaded	WS28K7TP-3
7	plug	solder	25A	indoor	Female	500V	Threaded	WS28K7TQ1
7	plug	screw	25A	indoor	Female	500V	Threaded	WS28K7TQ-2
7	plug	Crimp	25A	indoor	Female	500V	Threaded	WS28K7TQ-3
7	plug	solder	25A	indoor	Female	500V	Threaded	WS28K7TR1
7	plug	screw	25A	indoor	Female	500V	Threaded	WS28K7TR-2
7	plug	Crimp	25A	indoor	Female	500V	Threaded	WS28K7TR-3
7	plug	solder	25A	indoor	Female	500V	Threaded	WS28K7TS1
7	plug	screw	25A	indoor	Female	500V	Threaded	WS28K7TS-2
7	plug	Crimp	25A	indoor	Female	500V	Threaded	WS28K7TS-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZC1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZC-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZC-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZD1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZD-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZD-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZDB1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZDB-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZDB-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZDF1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZDF-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZDF-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZG1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZG-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZG-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZM1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZM-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZM-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZMQ1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZMQ-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZMQ-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZP1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZP-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZP-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZPB1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZPB-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZPB-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZPF1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZPF-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZPF-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZQ1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZQ-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZQ-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZQB1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZQB-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZQB-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZQF1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZQF-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZQF-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZR1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZR-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZR-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZS1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZS-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZS-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZY1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZY-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZY-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZYB1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZYB-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZYB-3
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZYF1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZYF-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZYF-3

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
7	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K7ZZ1
7	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K7ZZ-2
7	receptacle	Crimp	25A	indoor	Female	500V	Threaded	WS28K7ZZ-3
8B	plug	solder		indoor	Female	500V	Threaded	WS28K8BTC1
8B	plug	solder		indoor	Female	500V	Threaded	WS28K8BTD1
8B	plug	solder		indoor	Female	500V	Threaded	WS28K8BTP1
8B	plug	solder		indoor	Female	500V	Threaded	WS28K8BTQ1
8B	plug	solder		indoor	Female	500V	Threaded	WS28K8BTR1
8B	plug	solder		indoor	Female	500V	Threaded	WS28K8BTS1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZC1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZD1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZDB1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZG1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZM1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZP1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZPB1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZQ1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZQB1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZR1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZS1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZY1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZYB1
8B	receptacle	solder		indoor	Female	500V	Threaded	WS28K8BZZ1
8	plug	solder	25A	indoor	Female	500V	Threaded	WS28K8TC1
8	plug	screw	25A	indoor	Female	500V	Threaded	WS28K8TC-2
8	plug	solder	25A	indoor	Female	500V	Threaded	WS28K8TD1
8	plug	screw	25A	indoor	Female	500V	Threaded	WS28K8TD-2
8	plug	solder	25A	indoor	Female	500V	Threaded	WS28K8TP1
8	plug	screw	25A	indoor	Female	500V	Threaded	WS28K8TP-2
8	plug	solder	25A	indoor	Female	500V	Threaded	WS28K8TQ1
8	plug	screw	25A	indoor	Female	500V	Threaded	WS28K8TQ-2
8	plug	solder	25A	indoor	Female	500V	Threaded	WS28K8TR1
8	plug	screw	25A	indoor	Female	500V	Threaded	WS28K8TR-2
8	plug	solder	25A	indoor	Female	500V	Threaded	WS28K8TS1
8	plug	screw	25A	indoor	Female	500V	Threaded	WS28K8TS-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZC1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZC-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZD1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZD-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZDB1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZDB-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZDF1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZDF-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZG1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZG-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZM1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZM-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZMQ1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZMQ-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZP1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZP-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZPB1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZPB-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZPF1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZPF-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZQ1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZQ-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZQB1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZQB-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZQF1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZQF-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZR1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZR-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZS1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZS-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZY1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZY-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZYB1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZYB-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZYF1
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZYF-2
8	receptacle	solder	25A	indoor	Female	500V	Threaded	WS28K8ZZ1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
8	receptacle	screw	25A	indoor	Female	500V	Threaded	WS28K8ZZ-2
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9TC1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9TC-2
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9TD1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9TD-2
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9TP1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9TP-2
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9TQ1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9TQ-2
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9TR1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9TR-2
9	plug	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9TS1
9	plug	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9TS-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZC1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZC-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZD1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZD-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZDB1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZDB-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZDF1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZDF-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZG1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZG-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZM1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZM-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZMQ1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZMQ-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZP1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZP-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZPB1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZPB-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZPF1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZPF-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZQ1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZQ-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZQB1

NUMBER OF CONTACTS	CONNECTOR CATEGORY	TERMINATION TYPE	RATED CURRENT	IP RATING	CONTACT GENDER	RATED VOLTAGE	COUPLING	PART NUMBER
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZQB-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZQF1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZQF-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZR1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZR-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZS1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZS-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZY1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZY-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZYB1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZYB-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZYF1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZYF-2
9	receptacle	solder	5A,25A	indoor	Female	500V	Threaded	WS28K9ZZ1
9	receptacle	screw	5A,25A	indoor	Female	500V	Threaded	WS28K9ZZ-2